

REFERENCES / REFERENCIAS

- ALONCLE, H. & F. DELAPORTE, 1973. *Rythmes alimentaires et circadiens chez le germon *Thunnus alalunga* dans le Nord-Est Atlantique. Les populations de germos dans le Nord-East Atlantique*. These de Doctorat. Paris : 194pp.
- ALONCLE H. et F. DELAPORTE, 1976. Marquages de germos par l'ISTPM, 1967-1974. ICCAT *Rec. Doc. Sci.* V.
- ALONCLE, H. et F. DELAPORTE, 1977. Les operations de marquage de germos à l'ISTPM depuis aout 1968. ICCAT *Rec. Doc. Sci.* VI (2) : 195-201.
- ALONCLE, H. et DELAPORTE, F., 1979. Nouvelles remarques sur la structure du stock de germon (*Thunnus alalunga*) dans le Nord-Est Atlantique. ICCAT *Rec. Doc. Sci.* VIII(2) : 261-264.
- ANON., 1989. Interacion de differents engins de pêche de la pêcherie de surface des germos de l'Atlantique nord est. IEO-IFREMEER, contrat ref. CEE 2018 DB/vt 18.7 du 05/06/89.
- ANON., 1992. Report of the Study Group on ecological impact of tuna drift netting in the north east Atlantic. Bruselas (DG XIV) 17-19 February 1992.
- ANON., 1993: Documentation of albacore stock assessment work carried out at the special session. ICCAT *Col. Vol. Sci. Pap.* XL(2) : 217-305.
- ANON., 1993a. 24th Report of the Scientific and Technical Committee for Fisheries. Brussels 15-17 November 1993.
- ANTOINE, L. et A. G. GARCES, 1981. Commentaires sur l'état du stock de germon Nord Atlantique ICCAT *Rec. Doc. Sci.* XV(2) : 222-231
- ANTOINE, A. et A.G. GARCES, 1983. Considerations sur l'état du stock de germon (*T. alalunga*) de l'Atlantique Nord d'après les données des flottilles franco-espagnoles. ICCAT *Rec. Doc. Sci.* XVIII(2) : 411-420
- ANTOINE L., 1990. Captures accessoires du filet dérivant utilisé pour la pêche au germon (*Thunnus alalunga*) dans le Golfe de Gascogne. CSTP, Copenhague, 15-16 novembre.
- ANTOINE, L., 1990a. Des dauphins, des thons et des pêcheurs; le filet maillant dérivant en Atlantique Nord. Equinoxe n° 33 : 11-14.
- ANTOINE, L., P. DANIEL, 1992. Captures comparées de deux types filets dérivants : premiers résultats. ICCAT *Rec. Doc. Sci.* XXXIX(1) : 241-246.
- ARENA, P., 1980. Risultati preliminari di studi sull'età, l'acrescimento e la prima maturita sessuale del l'alalunga (*Thunnus alalunga*, Bonn., 1788) del Tirreno. *Memorie di Biologia e di Oceanografia*, Vol.X (3) : 71-81.
- ASSEMBLÉE GÉNÉRALE des Nations Unies, 1990. La pêche aux grands filets pélagiques dérivants et ses conséquences sur les ressources biologiques des océans et des mers. Résolution adoptée par l'Assemblée générale, A/RES/44/225 du 30 juillet.
- AU, D., 1986. Skipjack population dynamics; is it qualitatively different from that of other tropical tunas?. *Proceedings of the ICCAT Interantional Conference on Skipjack Year Programm*, ICCAT. Madrid
- BAKUN, A., 1994. Global climate variations and potential impacts on the Gulf of Guinea Sardinella fishery. *In* Dynamics and use of Sardinella resource from upwelling off Ghana and Ivory Coast. ORSTOM Ed. : 60-84.
- BARD, F. X., 1974. Etude sur le germon (*Thunnus alalunga*) Bonnaterra de l'Atlantique Nord. Elements de dynamique de population. ICCAT. *Col. Vol. Sci. Pap.* II : 198-224.

- BARD, F.X., and G. COMPEAN., J., 1980. Conséquences pour l'évaluation du taux d'exploitation du germon (*Thunnus alalunga* nord Atlantique d'une courbe de croissance déduite de la lecture des sections de rayons épineux. ICCAT Rec. Doc. Sci. IX(2) : 365-375
- BARD, F.X., 1981. *Le thon Germon (T. alalunga) de l'océan Atlantique. De la dynamique de population à la stratégie démographique.* Thèse Doct. Univ. Paris 6 : 330pp.
- BARD, F.X., 1991. Modèle de production appliqué au stock de Germon Nord Atlantique. Commentaires sur les CPUE disponibles. ICCAT Rec. Doc. Sci. XXXIV : 128-132
- BARD, F. X., 1992. Commentaires sur l'état d'exploitation du stock de germon (*T. alalunga*) N. atlantique (années 1988-1989) ICCAT Rec. Doc. Sci. XXXIX(1) : 196-200
- BARTOO, N. W. and E. C. WEBER 1979: Status of the north Pacific albacore stock from yield-per-recruit and recruitment standpoints. *U.S. Nat. Mar. Fish. Serv., Southwest Fish. Center, Admin. Rep., LJ-79-15* : 12pp.
- BARTOO, N. and S. KUME 1982: Report of the sixth North Pacific Albacore Workshop. *Admin. Report LJ-82-02. NMFS* : 24pp.
- BARTOO, N. and J. A. WETHERALL, 1991. Assessing impact of north Pacific high seas driftnet fishing on albacore, other tunas and billfishes: progress and problems. Document presented at the North Pacific Driftnet Scientific Review Meeting, British Columbia, Canada, June 11-14, 1991.
- BARTOO, N. and Y. UOZUMI 1994: Report of the thirteenth North Pacific Albacore Workshop. draft : 23pp.
- BEAMISH, R.J. & G.A. McFARLANE, 1983. The forgotten requirement for age validation in fisheries biology. *Trans. Am. Fish. Soc., Vol. 110* : 287-299.
- BEARDSLEY, G. L., 1969. Proposed migrations of albacore (*Thunnus alalunga*) in the Atlantic Ocean. *Trans. Am. Fish. Soc., 98 (4)* : 589-598.
- BEARDSLEY, G. L., 1971. Contribution to the population dynamics of Atlantic albacore with comments on potential yields. *Fish. Bull., U.S. 69* : 845-857.
- BEDDINGTON, J.R. and J.G. COOKE. 1983. The potential yield of fish stocks. *F.A.O. Fish. Biol. Tech. Pap. 242*: 1-47.
- BELL, R. R. 1962: Age determination of the Pacific albacore of the California coast. *Calif. Fish Game*, 48(1): 39-48.
- BERGH, M.O. and BUTTERWORTH, D.S., 1987. Towards rational harvesting of the South African anchovy considering survey imprecision and recruitment variability. *S. Afr. J. mar. Sci. 5* : 937-951.
- BIGELOW, K. A., J. T. JONES and M. M. SIERRA 1993: Age variability within length-frequency modes of the north Pacific albacore fishery as determined by otolith analysis. NPALB/13/20. Mimeo. : 15pp.
- BROWDER, J.A., J. CRAMER, 1994. Standardized abundance indices for western north Atlantic yellowfin tuna from the U.S. recreational fishery from Virginia to New York; an update. ICCAT Col. Vol. Sci. Pap. XLII(2)
- BUTTERWORTH, D.S. and P. A. ANDREW. 1984. Dynamic catch-effort models for the hake stocks in ICSEAF Divisions 1.3 to 2.2. *Colln. scient. Pap. int. Commn SE. Atl. Fish.* 11(1) : 29-58.
- BUTTERWORTH, D.S., G.[S.] HUGHES and F. STRUMPFER. 1990. VPA with *ad hoc* tuning: implementation for disaggregated fleet data, variance estimation, and application to the Namibian stock of Cape horse mackerel (*Trachurus trachurus capensis*). *S. Afr. J. Mar. Sci. 9* : 327-357.
- BUTTERWORTH, D.S. and A.E. PUNT. 1992. A review of some aspects of the assessment of the western north Atlantic bluefin tuna. ICCAT Col. Vol. Sci. Pap. XXXIX : 731-757.
- BUTTERWORTH, D.S. and BERGH, M.O., 1993. The development of a management procedure for the South African anchovy resource. In: S.J. Smith, J.J. Hunt and D. Rivard (Editors), Risk Evaluation and Biological Reference Points for Fisheries Management. *Can. J. Fish. Aquat. Sci. Spec. Publ.* 120 : 83-99.

- CASSELMAN, J.M., 1983. Age and growth assessment of fish from their calcified structures- Techniques and Tools. US Dept. Comm., NOAA Tech. Rep. NMFS 8 : 117-271.
- CHANG, S.K., C.C. HSU AND H.C. LIU, 1993. An alternative procedure to segregate mixed longline catch data. *J. Fish. Soc. Taiwan*, 20(3) : 177-189.
- CHANG, S. K. and C.C. HSU. 1996. Adjusted Taiwanese longline CPUE of north Atlantic albacore stock from target species segregated catch data. This volume.
- CHANG, S.K., C.C. HSU and H.C. LIU. 1996. Extracting Taiwanese longline catches targeted on Atlantic albacore through daily catch composition. This volume.
- CHOW, S., H. USHIAMA, Y. UOZUMI, H. NAKANO and K. UOSAKI (1993): Biochemical genetic analysis on the stock structure of albacore (*Thunnus alalunga*). (Abstract). NPALB/13/8. Mimeo : 1pp.
- CHUKSIN, Y.V., 1987. Peculiarities of distribution and behaviour of mackerel westward of the British Isles. *ICES C.M.* 1987 : 16pp.
- CITEAU, J. & H. DEMARCO, 1990. Restitution de la température de surface océanique en zone intertropicale à partir des données du satellite METEOSAT. *Bulletin Institute de Oceanographie de Monaco* (M. Petit and J.M. Stretta eds.), 6 : 149-172
- CLEMENS, H. B. 1961: The migration, age, and growth of Pacific albacore (*Thunnus germon*), 1951-1958. *Calif. Dept. Fish Game, Fish Bull.*, 115 : 128pp.
- CORT, J.L. and J. MEJUTO, 1990. Campañas de marcado de atún blanco (*Thunnus alalunga*, Bonn.) realizadas por España en el Mar Cantábrico (1976-1988). *ICCAT Col. Doc. Cient.* XXXI : 241-243.
- CORT, J.L., J. SANTIAGO, J. MEJUTO y V. ORTIZ de ZARATE, 1992. Evolución espacio/temporal de las recapturas de atún blanco (*Thunnus alalunga* Bonn.) obtenidas a partir de campañas de marcado español en el Mar Cantábrico (1976-90). *ICCAT Col. Doc. Cient.* XXXIX(1) : 201-208
- CUMMINGS-PARRACK, N. 1994. Preliminary results of ASPIC for north Atlantic albacore. *ICCAT Col. Vol. Sci. Pap.* XLII(1) : 402-409.
- DERISO, R.B. T.J. QUINN and P.R. NEAL. 1985. Catch-age analysis with auxiliary information. *Can. J. Fish. Aquat. Sci.* 42 : 815-824.
- EFRON, B. 1981. Nonparametric estimates of standard error: the jackknife, the bootstrap and other methods. *Biometrika* 68(3) : 589-599.
- EFRON, B. 1982. The Jackknife, the Bootstrap and Other Resampling Plans. Society for Industrial and Applied Mathematics, Philadelphia : 92pp.
- EFRON, B. 1985. Bootstrap confidence intervals for a class of parametric problems. *Biometrika* 72(1) : 45-58.
- FABENS, A.J. 1965. Properties and fitting of the von Bertalanffy growth curve. *Growth*, 29 (3) : 265-289.
- FAO, 1987. *Fiches FAO d'identification des espèces pour les besoins de la pêche*. Méditerranée et Mer Noire. Vol II Vertébrés. Rome.
- FERNANDEZ, M. 1992. Révision des méthodes d'âgeage du germon (*Thunnus alalunga* Bonn. 1788) nord-est Atlantique par l'étude des pièces anatomiques calcifiées. *ICCAT Rec. Doc. Sci.* XXXIX(1) : 225-240.
- FERNANDEZ-NUÑEZ, M., 1992. La croissance de *Thunnus alalunga* (Bonn., 1778) nord-est atlantique par l'étude des pièces anatomiques calcifiées. *ICCAT Rec. Doc. Sci.* XXXIX(1) : 225-240.
- FIEDLER, R.C., 1986. Offshore entrainment of anchovy spawning habitat, eggs and larvae by a displaced eddy in 1985. *CalCOFI Rep.* 27 : 144-152.

- FIEDLER, P. & H. BERNARD, 1987. Tuna aggregation and feeding near fronts observed in satellite imagery. *Cont. Shelf Res.*, 7 : 871-881.
- FLITTNER, G. A. 1963: Review of the 1962 seasonal movement of albacore tuna off the Pacific coast of the United States. *Comm. Fish. Rev.*, 25(4) : 7-13.
- FONTENAU, A. & F. X. BARD, 1993. Le germon de l'Atlantique Nord: Stock sous-exploité ou stock en danger? *La Pêche Maritime.*, N° 1378, Novembre-Décembre : 438-441.
- FOREMAN 1980: Synopsis of biological data on the albacore tuna, *Thunnus alalunga* (Bonnaterre, 1788), in the Pacific Ocean. In Synopses of biological data on eight species of scombrids. W. H. Bayliff (ed.), IATTC Special Report No.2 : 21-70.
- FOX, W.W. 1975. Fitting the generalized stock production model by least-squares and equilibrium approximation. *Fish. Bull.* 73(1) : 23-37.
- FRANCIS, R.I.C.C., 1992. Use of risk analysis to assess fishery management strategies: A case study on orange roughy (*Haplostethus atlanticus*) on the Chatman Rise, New Zealand. *Can. J. Fish. Aquat. Sci.* 49 : 922-930.
- GARCES, A.G., 1981. A production model analysis of north Atlantic albacore (*T. alalunga*) 1957-1978. *ICCAT Col. Vol. Sci. Pap.* XV(2) : 211-221
- GARCES, A. G. y J. MEJUTO, 1984. Estado actual de la pesquería de atún blanco (*T. alalunga*) del Atlántico Norte. *ICCAT Col. Doc. Cient.* XX(2) : 270-282
- GARCES, A. G. and E. WEBER, 1985. Yield per Recruit analysis of N. Atlantic albacore (*T. alalunga*). *ICCAT Rec. Doc. Sci.* XXIII(2) : 307- 318
- GARCES, A. G., P. MOGUEDET, B. GARCIA, 1989. Analysis de la pesquería de atun blanco (*T. alalunga*) del Atlantico Norte. Estimación de los coeficientes de mortalidad por pesca y de los rendimientos en peso utilizando modelos estructurales. *ICCAT Col. Vol. Sci. Pap.* XXX(1) : 218-228
- GARCIA, B. & MEJUTO, J., 1993. A simple descriptive and comparative analysis of the activity of the peninsular Spanish fleets targeting albacore (*Thunnus alalunga*), in the Atlantic Ocean from 1990-1991. *ICCAT Col. Vol. Sci. Pap.* XL(2): 306-315
- GAVARIS, S., 1980. Use of a multiplicative model to estimate catch rate and effort from commercial data. *Can. J. Fish. Aquat. Sci.* 37 : 2272-2275.
- GAVARIS, S. 1988. An adaptive framework for the estimation of population size. *Res. Doc. Can. Atl. Fish. scient. Adv. Comm. (CAFSAC)* 88/29 : 12pp.
- GONZALEZ - GARCES, A., 1981. A production model analysis of north Atlantic albacore (*T. alalunga*) 1957-1978. *ICCAT Col. Vol. Sci. Pap.* XV(2) : 211-221.
- GONZALEZ-GARCES, A. & A.C. FARIÑA-PEREZ, 1983. Determining age of young albacore, *Thunnus alalunga*, using dorsal spines. *US Dept. Comm., NOAA Tech. Rep. NMFS* 8 : 117-271.
- GONZALEZ - GARCES, A. y MEJUTO. J. 1984. Ajuste de un modelo de producción a la población de atún blanco (*T. alalunga*) del Atlántico norte 1967-1982. *ICCAT Col. Vol. Sci. Pap.* XVIII(2) : 294-306.
- GOODSON, A.D., R.H. MAYO, M. KLINOWSKA, P. BLOOM, 1992. Initial field trial of a passive acoustic device to reduce entanglement of dolphins in fishing gear. *Int. Whal. Commn. Scientific Committee, Glasgow, SC/44/21.*
- GOUJON, M., L. ANTOINE,, A. COLLET, AND S. FIFAS, 1993. Approche de l'impact écologique de la pêche thonnière au filet maillant dérivant en Atlantique nord-est. *Rapp. Int. de la Dir. des Ressources Vivantes de l'IFREMER, réf. RI.DRV - 93.034* : 47pp.

- GOUJON, M., L. ANTOINE, and D. Gascuel, 1996. Trends of abundance indices of albacore tuna (*Thunnus alalunga*) obtained by GLM fitting of the French troll and baitboat catch per unit of effort data for the period 1967 to 1986. This volume.
- GRAVES, J. E. and A. E. DIZON 1983: Population structure of the north Pacific albacore as determined by restriction endonuclease analysis of mitochondrial DNA: A progress report. NPALB/83/7. Mimeo.
- GRAVES, J. E. 1985: Intraspecific genetic structure of the albacore. (Abstract) NPALB/85/11 Mimeo : 1pp.
- HAMPTON, J. 1991. Estimation of southern bluefin tuna, *Thunnus maccoyii* Growth Parameters from tagging data, using von Bertalanffy models incorporating individual variation. *Fishery Bulletin*, U.S. 89 : 577-590.
- HARDEN JONES, F.R., 1984. A view from the ocean. In Mechanisms of migration in fishes, edited by J.D. McCleane *et al.* New York, Plenum Press : 1-26.
- HAVARD DUCLOS, F., 1973. La pêche au germon dans le Golfe de Gascogne. Influence de la température sur le déplacement des mattes. *ICCAT Rec. Doc. Sci.* 1 : 339-370.
- HILBORN, R., 1990. Determination of fish movement pattern from tag recoveries using maximum likelihood estimators. *Can. J. Aquat. Sci.* Vol. 47 : 635-6.
- HOEY, J.; R. CONSER; E. DUFFIE, 1989. Catch per unit effort information from the U.S. swordfish fishery. *ICCAT Col. Vol. Sci. Pap.* XXIX : 195-227.
- HOLTS, D. B. and N. BARTOO 1985: Report of the ninth North Pacific Albacore Workshop. Admin. Report LJ-85-25. NMFS : 19pp.
- HSU, C.C. and H.C. LIU. 1989. An considerable method of effort standardization as using in production analysis of the north Atlantic albacore stock. Submitted to the 39th World Tuna Conference, UCLA Conference Center, Lake Arrowhead, California, May 18-22, 1988.
- HSU, C. C. 1993: The status of Indian albacore stock - a review of previous works. FAO IPTP/TWS/93/ : 23pp.
- HSU, C. C and S. K. CHANG. 1993. The adjusted longline CPUE of north and south Atlantic albacore stock by three methods. *ICCAT Col. Vol. Sci. Pap.* XL(2) : 333-342.
- HSU, C.C. 1994. Numerical comparison of adjusted catch per unit effort trends of north Atlantic albacore stock standardized by Honma and general linear model methods. *J. Fish. Soc. Taiwan*; 21(2).
- HSU, C.C., AND M. C. LIN 1996. The recent catch estimating procedures of Taiwanese longline fisheries. This volume.
- HUE, S.B., 1979. Etude de l'hétérogénéité du stock de germon (*Thunnus alalunga*, Bonn., 1788) dans l'Atlantique nord-est. Thèse Doc. Sc. Nantes : 239 pp.
- HUE, S.B., 1979. Recherches sur l'hétérogénéité du stock de germon *Thunnus alalunga* du Nord-Est Atlantique par électrophorèse. *ICCAT Rec. Doc. Sci.* VIII(2) : 265-271.
- HUE, S.B., 1980. New knowledge on the migration of albacore (*Thunnus alalunga*) in the northeast Atlantic. *ICCAT, Col. Doc. Cient.* IX(2) : 344-352.
- ICCAT, 1986. International Skipjack Year Program Final Conference
- ICCAT, 1990. 1989 Albacore Meetings *ICCAT Col. Vol. Sci. Pap.* XXXI : 243pp.
- ICCAT, 1991. Report of the 2nd ICCAT Albacore Workshop, 2-9 October 1990, Madrid, *ICCAT Col. Vol. Sci. Pap.* XXXIV : 170pp.
- ICCAT. 1992. Statistical Bulletin. 22 (1981-1991), Int. Comm. Conserv. Atlantic Tunas. Madrid, Spain : 187pp.

- ICCAT, 1992. Report of the *Ad-Hoc* Meeting on Progress in the ICCAT Albacore Research Program (Sukarrieta 12-16 June 1991) *ICCAT Col. Vol. Sci. Pap.* XXXIX(1) : 134-187.
- ICCAT. 1993. Report for the biennial period. 1992-1993. Part I (1992)/ Informe del Período bienal 1992-93. I Parte (1992). Rapport de la période biennale 1992-1993, I^{re} Partie (92).
- ICCAT, 1994. Report for biennial period 1992-93 Part 2 (1993) ALB section : 186-194.
- ICCAT. 1996. Report of the final meeting of the ICCAT Albacore Research Program (Sukarrieta, Vizcaya, Spain, June 1 to 8, 1994). This volume
- IFREMER, 1989. Interaction de différents engins de pêche de la pêcherie de surface des germons de l'Atlantique Nord-Est. Contrat CEE-IFREMER/IEO. Doc Int : 54pp.
- IFREMER, 1990. Informations complémentaires sur les captures de mammifères marins par les filets dérivants à thon en Atlantique Nord.. Réf. CEE : 2018 DB/vt 18.7 du 5.06.89, *Rapport complémentaire*, oct. 1990.
- KIKAWA, S., T. SHIOHAMA, Y. MORITA, and S. KUME 1977: Preliminary study on the movement of the north Pacific albacore based on the tagging. *Far Seas Fish. Res. Lab., Bull.*, 15 : 101-113.
- KIMURA, D.K., 1981. Standardized measures of relative abundance based on modelling $\log(CPUE)$ and their application to Pacific ocean perch. *J. Cons. Int. Explor. Mer.* 39 : 211-218.
- KIMURA, D.K. 1990. Approaches to age-structured separable sequential population analysis. *Can. J. Fish. Aquat. Sci.* 47 : 2364-2374.
- KIRKWOOD, G.P., and I.F. SOMERS. 1984. Growth of two species of tiger prawn, *Panaeus esculentus* and *P. semisulcatus*, in the western Gulf of Carpentaria. *Aust. J. Mar. Freshwater Res.* 35 : 703-712.
- KLINOWSKA, M, 1991. Dolphins, Porpoises and Whales of the World. *The IUCN Red Data Book*, published by IUCN, Gland, Switzerland and Cambridge, U.K. : 429 pp.
- KOIDO, T. and Y. YONEMORI 1987: Trend in hook rate of Atlantic swordfish. *ICCAT Col. Vol. Sci. Pap.* XXVI : 396-401.
- KOTO, T, 1969. Distribution and movement of the albacore in the Indian and the Atlantic Oceans based on the catch statistics of Japanese tuna long-line fishery. *Far Seas Fish. Res. Lab. Bull.* Vol. 1 : 115-129.
- LAUREC, A., 1977. Analyse et estimation des puissances de pêche. *J. Cons. int. Explor. Mer.* 37 : 173-185.
- LAUREC, A. et F.X. BARD, 1980. Analyse multicohorte sur deux classes d'âge. *ICCAT Rec. Doc. Sci.* IX(1) : 14-25
- LAURS, R.M. & R. LYNN, 1977. Seasonal migration of north Pacific albacore, *Thunnus alalunga*, into north America coastal waters: Distribution, relative abundance and association with transition zone waters. *Nat. Mar. Fish. Serv., Fish. Bull.*, 75(4) : 795-822.
- LAURS, R. M. 1979: Results from north Pacific albacore tagging studies. U.S. Nat. Mar. Fish. Serv., Southwest Fish. Center, *Admin. Rep.*, LJ-79-17 : 10pp.
- LAURS, R. M. and R. N. NISHIMOTO 1979: Preliminary results from experiment to evaluate otolith daily ring increment method for age determination in north Pacific albacore. U.S. Nat. Mar. Fish. Serv., Southwest Fish. Center, *Admin. Rep.*, LJ-79-18 : 10pp.
- LAURS, R. M. and J. A. WETHERALL 1979: Estimates of growth rates for north Pacific albacore, *Thunnus alalunga* (Bonnaterre), based on an analysis of tag returns. *U.S. Nat. Mar. Fish. Serv.*, unpublished manuscript.
- LAURS, R. M., R. NISHIMOTO J. H. UCHIYAMA and J. A. WETHERALL 1983: Age and growth of north Pacific albacore, *Thunnus alalunga*, determined from tag returns and daily increments on otoliths. NPALB/83/1 Mimeo.

- LAURS, R.M., P.C. FIEDLER & D.R. MONTGOMERY, 1984. Albacore tuna catch distribution relative to environmental features observed from satellites. *Deep Sea Res.*, 31(9) : 1085-1099.
- LAURS, R. M., R. NISHIMOTO, and J. A. WETHERALL 1985: Frequency of increment formation on sagittae of north Pacific albacore (*Thunnus alalunga*). *Can. J. Fish. Aquat. Sci.*, 42(9) : 1552-1555.
- LAURS, R. M. and R. J. LYNN 1991: north Pacific albacore ecology and oceanography. NOAA Tech. Rep. NMFS 105 : 69-87.
- LEE, L.K. and S.Y. YEH 1993. Studies on the age and growth of south Atlantic albacore specimens collected from Taiwanese longliners. *ICCAT Col. Vol. Sci. Pap.* XL(2) : 354-360.
- LENS, S., J. MEJUTO, V. ORTIZ & J. SANTIAGO, 1993. Driftnets and the northeast Atlantic albacore fishery. Report presented at STCF (Brussels, 15-17 Nov 1993).
- LEROY, C., 1988. Télédétection satellitaire et pêche du germon *Thunnus alalunga* dans le NE Atlantique. *VIII Semana das Pescas dos Açores*. Relatorio 8 : 241-267.
- LEVENBERG, K., 1944. A method for the solution of certain non-linear problems in least squares. *Quart. Appl. Math.* 2 : 164-168.
- LEWY, P. 1988. Integrated stochastic virtual population analysis estimates and their precision of fishing mortalities and stock sizes for the North Sea whiting stock. *J. Cons. int. Explor. Mer.* 44 : 217-228.
- LIOURZU, B., C. LEROY, J. MASSE & O. BARBAROUX, 1987. Campagne germonière 1986. Prospections, suivi de la pêche, télédétection.. *IFREMER/DRV 87.003/RH* (Raport interne). Nantes : 91pp.
- LIORZOU, B., 1989. Les nouveaux engins de pêche pour la capture du Germon. Description Statistiques, impact sur le stock Nord Atlantique. *ICCAT Rec. Doc. Sci.* XXX(1) : 203-217.
- LLEONART, J., J. SALAT and B. ROEL. 1985. A dynamic production model. *Colln scient. Pap. int. Commn SE. Atl. Fish.* 12(1) : 119-146.
- MARQUARDT, D.M. 1963. An algorithm for least-squares estimation of non-linear parameters. *J. SIAM* II (2).
- MATSUMOTO, W. M. 1958: Description and distribution of larvae of four species of tuna in central Pacific waters. *U.S. Fish Wild. Serv., Fish. Bull.*, 58(128) : 31-72.
- MCALLISTER, M.K., E.K. PIKITCH, A.E. PUNT and R. HILBORN. 1994. A numerical Bayes approach to stock assessment and harvest decisions using sampling/importance resampling algorithm. *Can. J. Fish. Aquat. Sci.* 51 : 00-00
- McCLAIN, E.P., W.E. PICHEL, C.C. WALTON, Z. AHMADD & J. SUTTON, 1983. Multichannel improvements to satellite-derived global sea surface temperatures. *Advances in Space Research*, 2 : 43-47.
- McFARLANE, G.A. & R.J. BEAMISH, 1987. Selection of dosages of oxytetracycline for age validation studies. *Can. J. Fish. Aquat. Scienc.*, Vol. 44 : 905-909.
- MEGALOFONOUP., 1990. Size distribution, length weight relationships, age and sex of albacore, (*Thunnus alalunga* Bonn.) in the Aegean Sea. *GFCM/ICCAT-Med. ICCAT Col. Vol. Sci. Pap.* XXXIII : 154-162.
- MEJUTO, J., R. CONSER, B. GARCIA, 1992. Age specific standardized indices of abundance for albacore (*Thunnus alalunga*) from the Spanish surface fleets in the north Atlantic, 1983-1990. *ICCAT Col. Vol. Sci. Pap.* XXXIX (1) : 269-283.
- MEJUTO, J. & B. GARCIA, 1993: Age specific standardized catch rates for albacore (*Thunnus alalunga*) from the Spanish surface fleets in the north Atlantic. Years 1983-1991. *ICCAT Col. Vol. Sci. Pap.* XL(2) : 375-382.
- MEJUTO, J., B. GARCIA, 1994. Age specific standardized catch rates of albacore (*Thunnus alalunga*) from the Spanish surface fleets in the north Atlantic, years 1983-1992. *ICCAT Col. Vol. Sci. Pap.* XLII(1) : 383-387.

- MEJUTO, J. and B. GARCIA, 1996. Standardized catch rates for albacore (*Thunnus alalunga*) from the Spanish surface fleets in the northeast Atlantic, years 1981-1993. This volume.
- MIYABE, N. 1995: Updated standardized CPUE of Atlantic bluefin tuna caught by Japanese longline fishery in the eastern Atlantic and Mediterranean Sea. ICCAT Col. Vol. Sci. Pap. XLIV(1) : 335-339.
- MORITA, S., 1978. On the relationship between the albacore stocks of the south Atlantic and Indian Oceans. ICCAT Col. Vol. Sci. Pap. VII(2) : 232-237.
- NAKANO, H., Y. WATANABE and Y. NISHIKAWA, 1990: Trends in albacore catch by Japanese longline fishery in the Atlantic Ocean, 1956-1987. ICCAT Col. Vol. Sci. Pap. XXXI : 230-235.
- NAKANO, H. 1995: Updated standardized CPUE for swordfish caught by Japanese longline fishery in the Atlantic Ocean. ICCAT Col. Vol. Sci. Pap. XLIV(3) : 231-237.
- NAKANO, H. 1996. Review of data collection system for the Japanese longline fishery and problems about standardization of CPUE. This volume.
- NAKANO, H., 1996a. Comparison of standardized longline CPUE of albacore among the oceans and countries. This volume.
- NISHIKAWA, Y., M. HONMA, S. UEYANAGI, and S. KIKAWA 1985: Average distribution of larvae of oceanic species of scombroid fishes, 1956-1981. *Far Seas Fish. Res. Lab. Bull.* S Series 12 : 99pp.
- NISHIDA, T., Y. ISHIZUKA and H. KISHINO. 1994 Estimate of catch rate of Japanese longline fisheries for southern bluefin tuna (*Thunnus maccoyii*). SBFWS/94/11. The document submitted to the trilateral meeting for southern bluefin tuna.
- NOSE, Y., H. KAWATSU, and Y. HIYAMA 1957: Age and growth of Pacific tunas by scale reading. In Collection of Works on Fisheries Science, Jubilee Publication of Professor I. Amemiya, Univ. Tokyo Press : 701-716.
- ORTIZ de ZARATE, V., J.L. CORT y J.M. de la SERNA., 1991. Resultados de las campañas de marcado de atún blanco en el mar Cantábrico (1988-1989). ICCAT. Col. Doc. Cient. XXXIV : 152-159.
- ORTIZ DE ZARATE, V., 1992. Observación de atunes blancos (*Thunnus Alalunga*, Bonn.) heridos por red de enmalle en las capturas españoles de cebo vivo y curricán. ICCAT Col. Doc. Cient. XXXIX(1) : 209-214.
- ORTIZ de ZARATE, V., J.GIL and M. QUINTANS, 1993. Condiciones térmicas observadas durante la campaña de marcado de atún blanco (*Thunnus alalunga*, Bonn. 1788) en 1991. ICCAT, Col. Doc. Cient. XL(2) : 361-364.
- ORTIZ de ZARATE, V. & N. PARRACK, & C. RDZ.-CABELLO, 1994. New tag-recapture growth analysis for north Atlantic albacore data. ICCAT Col. Vol. Sci. Pap. XLII(1) : 395-401.
- ORTIZ DE ZARATE, V., and N. CUMMINGS-PARRACK, 1994. Preliminary analysis of albacore tag-return observations from surface fleets in the north Atlantic. ICCAT Col. Vol. Sci. Pap. XLII(1) : 388-390.
- ORTIZ DE ZARATE, V., J. SANTIAGO, 1994. Catch-at-age estimation in north Atlantic albacore. ICCAT Col. Vol. Sci. Pap. XLII(1) : 388-390.
- OTSU, T. and R. N. UCHIDA 1959a: Sexual maturity and spawning of albacore in the Pacific Ocean. *U.S. Fish Wild. Serv., Fish. Bull.*, 59(148) : 287-305.
- OTSU, T. and R. N. UCHIDA 1959b: Study of age determination by hard parts of albacore from central north Pacific and Hawaiian waters. *U.S. Fish Wild Serv., Fish. Bull.*, 59(150) : 353-363.
- OTSU, T. 1960: Albacore migration and growth in the north Pacific Ocean as estimated from tag recoveries. *PACIF. SCI.*, 14(3) : 257-266.
- OTSU, T. and R. N. UCHIDA 1962: Model of the migration of albacore in the north Pacific Ocean. *U.S. Fish Wild. Serv., Fish. Bull.*, 63(1) : 33-44.

- OTSU, T. and R. J. HANSEN 1962: Sexual maturity and spawning of the albacore in the central south Pacific Ocean. *U.S. Fish Wild. Serv., Fish. Bull.*, 62(204) : 51-161.
- OTSU, T. and H. O. YISHIDA 1966: Distribution and migration of albacore (*Thunnus alalunga*) in the Pacific Ocean. *Indo-Pacif. Fish. Coun., Proc.*, 12(2) : 49-64.
- PATTERSON, R.L. 1966. Difficulties involved in the estimation of a population mean using transformed sample data. *Technometrics*, 8, 535-537.
- PELLA, J.J. and P.K. TOMLINSON. 1969. A generalized stock production model. *Bull. Inter-Am. Trop. Tuna Comm.* 13 : 419-496.
- PENNEY, A.J., R.G. KROHN and C.G. WILKE. 1992. A description of the South African tuna fishery in the southern Atlantic Ocean. *ICCAT Col. Vol. Sci. Pap.* XXIX(1) : 247-253.
- PENNEY, A.J. 1993. The National Marine Linefish System. p. 68-72. In *Fish, Fishers and Fisheries*. Beckley, L.E. and R.P. van der Elst (eds). *ORI Spec. Publ.* 2.
- PENNEY, A.J., 1994. Morphometric relationships, annual catch-at-size for South African-caught South Atlantic albacore (*Thunnus alalunga*). *ICCAT Col. Vol. Sci. Pap.* XLII(1) : 371-382.
- PETIT, M., 1991. *Téledétection aérospatiale et gestion des pêches; application: recherche environnementale et halieutique thonière opérationnelle*. These de Doctorat. Université Pierre et Marie Curie de Paris : 130 pp.
- PICCINETTI, C. and PICCINETTI Manfrin., 1993. Distribution des larves de thonidés en Méditerranée - *ICCAT Rec. Doc. Sci.*, XL(2).
- PINGREE, R.D. & B. LE CANN, 1992a. Three anticyclonic Slope Water Oceanic eDDIES (SWODDIES) in the southern Bay of Biscay in 1990. *Deep Sea Res.*, 39 (7/8) : 1147-1175.
- PINGREE, R.D. & B. LE CANN, 1992b. Anticyclonic Eddy X91 in the southern Bay of Biscay, May 1991 to February 1992. *Journal of Geophysical Research*, 97 (C9) : 14353-14367.
- PINGREE, R.D., 1993. Flow of surface waters to the west of the British Isles and in the Bay of Biscay. *Deep Sea Res.*, 40(1/2) : 369-388.
- POLACHECK, T., R. HILBORN and A.E. PUNT. 1993. Fitting surplus production models: comparing methods and measuring uncertainty. *Can. J. Fish. Aquat. Sci.* 50 : 2597-2607.
- POPE, J.G. and J.G. SHEPHERD, 1982. A simple method for the consistent interpretation of catch-at-age data. *J. Cons. Int. Explor. Mer.* 40 : 176-186.
- POPE, J.G. and J.G. SHEPHERD. 1985. A comparison of the performance of various methods for tuning VPAs using effort data. *J. Cons. int. Explor. Mer.* 42 : 129-151.
- PORCH, C. E. and G. P. SCOTT. 1994. A numerical evaluation of GLM methods for estimating indices of abundance from west Atlantic bluefin tuna catch per trip data when a high proportion of the trips are unsuccessful. *ICCAT Col. Vol. Sci. Pap.* XLII(1) : 240-245.
- POWERS, J. E., and V. R. RESTREPO, 1992. Additional options for age-sequenced analysis. *ICCAT Col. Vol. Sci. Pap.* XXXIX(2) : 540-553.
- PRAGER, M.H. 1991. User's manual for ASPIC: A stock-production model incorporating covariates. U.S. Dept. Commerce, NMFS, SEFSC, Miami Lab. Doc. MIA-91/92-20 : 46pp.
- PRAGER, M.H. 1992. ASPIC - A surplus-production model incorporating covariates. *ICCAT Col. Vol. Sci. Pap.* XXXVII : 218-229.
- PRAGER, M.H. 1993a. Recent developments in extending the ASPIC production model. *ICCAT Col. Vol. Sci. Pap.* XL(2) : 498-502.

- PRAGER, M.H. 1993b. A suite of extensions to a non-equilibrium surplus-production model. contrib. MIA-92/93-58, U.S. Dept. Commerce, NMFS, SEFSC, Miami Lab. Doc. MIA-92/93-58 : 46 pp.
- PRAGER, M.H. 1994. A suite of extensions to a non-equilibrium surplus-production model. *Fish. Bull. (U.S.)* 92 : 374-389.
- PRINCE, E. D., D. W. LEE, J. L. CORT, G. A. MCFARLANE and A. WILD, 1994. Age validation of two tag-recaptured Atlantic albacore (*Thunnus alalunga*), base on dorsal, anal and pectoral finrays, vertebrae and otoliths. In D. H. Secor, J. M. Dean and S. E. Campana (eds), Recent developments in fish otolith research. University of South Carolina Press, Columbia, S.C.
- PUNT, A.E. 1988. Model selection for the dynamics of southern African hake resources. *Rep. Benguela Ecol. Progm. S. Afr.* 15. [vii] + 395pp.
- PUNT, A.E. 1989. A further preliminary comparative investigation into the performance of catch-effort model estimation procedures used in the management of the ICSEAF hake stocks. *Colln. scient. Pap. int. Commn SE. Atl. Fish.* 16(2) : 63-122.
- PUNT, A.E. and D.S. BUTTERWORTH. 1991. On an approach for comparing the implications of alternative fish stock assessments, with application to the stock of Cape hake (*Merluccius spp.*) off northern Namibia. *S. Afr. J. Mar. Sci.* 10 : 219-240.
- PUNT, A.E., A.J. PENNEY and C.G. WILKE. 1992. Stock assessment of south Atlantic albacore using an age-structured production model. *ICCAT Col. Vol. Sci. Pap.* XXXIX : 215-224.
- PUNT, A.E. 1992a. PC-BA User's guide (Version 1.1). *Rep. Benguela Ecol. Progm. S. Afr.* 24 : 37pp.
- PUNT, A.E. 1992b. Management procedures for Cape hake and baleen whale resources. *Rep. Benguela Ecol. Progm. S. Afr.* 23. [viii] + 689pp.
- PUNT, A.E. 1993. Some comments on the approaches used to assess south Atlantic albacore. *ICCAT Col. Vol. Sci. Pap.* XL(2) : 383-390.
- PUNT, A.E. and D.S. BUTTERWORTH. 1993. Variance estimates for fisheries assessment: their importance and how best to evaluate them. : 283-299. In Risk Evaluation and Biological Reference Points for Fisheries Management. Smith, S.J., J.J. Hunt and D. Rivard (eds). *Can. J. Fish. Aquat. Sci. Spec. Publ.* 120.
- PUNT, A.E. 1994. Assessments of the stocks of Cape hake (*Merluccius spp.*) off South Africa. *S. Afr. J. Mar. Sci.* 14 : 159-186.
- PUNT, A.E., M.K. MCALLISTER, E.K. PIKITCH and R. HILBORN. 1994a. Stock assessment and decision analysis for hoki (*Macruronus novaezelandiae*) for 1994. New Zealand Fisheries Assessment Research Document. 94/12 : 47pp.
- PUNT, A.E., D.S. BUTTERWORTH and A.J. PENNEY. 1994. Stock assessment and risk analysis for the south Atlantic population of albacore (*Thunnus alalunga*). *ICCAT Col. Vol. Sci. Pap.* XLII(1) : 344-357.
- PUNT, A.E., D.S. BUTTERWORTH and A.J. PENNEY. 1996a. Stock assessment and risk analysis for south Atlantic population of albacore (*Thunnus alalunga*) for 1994. This volume.
- PUNT, A. E., A. J. PENNEY and R. W. LESLIE. 1996b. Abundance indices and stock assessment of south Atlantic albacore (*Thunnus alalunga*). This volume.
- PUNT, A.E., R.W. LESLIE and A.J. PENNEY. 1996c. A preliminary examination of the Taiwanese longline catch and effort data (1967 to 1992) for south Atlantic albacore (*Thunnus alalunga*). This volume.
- QUÉRO, J.C., 1984. *Les poissons de mer des pêches françaises*. Jacques Grancher, Paris : 394 pp.
- RAMOS, A.G., 1992. *Bioecología del listado (Katsuwonus pelamis Linnaeus, 1758) en el área de Canarias. Modelo de gestión y explotación mediante el uso de la teledetección*. Tesis Doctoral. Universidad de Las Palmas de Gran Canaria : 196pp.

- RAMOS., A.G., J. SANTIAGO, P. SANGRA & M. CANTON, 1994. An application of satellite-derived sea surface temperature data to the skipjack (*Katsuwonus pelamis*) and albacore tuna (*Thunnus alalunga*) fisheries in the northeast Atlantic. *International Journal of Remote sensing*.
- REILLY, S.B. & V.G. THAYER, 1990. Blue whale (*Balaenoptera musculus*) distribution in the eastern tropical Pacific. *Mar. Mamm. Sci.*, 6(4) : 265-277.
- RESTREPO, V.R. and J.E. POWERS. 1992. Additional options for age-sequenced analysis. *ICCAT Col. Vol. Sci. Pap.* XXXIX : 540-553.
- ROBSON, D. S., 1966. Estimation of relative fishing power of individual ships. *Res. Bull. Int. Comm. N.W. Atl. Fish.*, 3 : 5-14.
- ROFF, D.A. and D.J. FAIRBAIRN. 1980. An evaluation of Gulland's method for fitting the Schaefer model. *Can. J. Fish. Aquat. Sci.* 37 : 1229-1235.
- ROTHSCHILD, B. J. and M. Y. Y. YONG 1970: Apparent abundance, distribution, and migrations of albacore, *Thunnus alalunga*, on the north Pacific longline grounds. *U.S. Fish Wild. Serv., Spec. Sci. Rep. Fish.*, 623 : 37pp.
- SAINSBURY, K.J. 1977. Population dynamics and fishery management of the abalone, *Haliotis iris*, Ph. D. Thesis. Univ. Canterbury, Christchurch, New Zealand : 176pp.
- SAINSBURY, K.J. 1980. Effect of Individual Variability on the von Bertalanffy Growth Equation. *Can J. Fish. Aquat. Sci.* 37 : 241-247.
- SANTIAGO, J., 1992. Application of MULTIFAN to estimate the age composition of the north Atlantic albacore catches. *ICCAT Col. Vol. Sci. Pap.* XXXIX(1) : 188-195.
- SANTIAGO, J. 1993: A new length-weight relationship for the north Atlantic albacore. *ICCAT Col. Vol. Sci. Pap.* XL(2) : 316-319.
- SANTIAGO, J., 1993a. Composición en edades de la captura internacional de Atún blanco (*Thunnus alalunga*) del Atlántico Norte. Años 1975-1991. *ICCAT. Col. Vol. Sci. Pap.* XL(2) : 320-329.
- SANTIAGO J., A.G. RAMOS & M. CANTON, 1993. Teledetección y pesca de atún blanco en el NE Atlántico. Análisis de las campañas de pesca 1990-1992. *Colección Informes Técnicos N° 51*. Servicio Central de Publicaciones Gobierno Vasco : 142pp.
- SAS. 1993: SAS Technical Report P-243. SAS/STAT Software. GENMOD procedure. *Release 6.09* : 88pp.
- SCHAEFER, M.B. 1954. Some aspects of the dynamics of populations important to the management of commercial marine fisheries. *Inter-Am. Trop. Tuna Commn Bull.* 1 : 25-56.
- SCHAEFER, M.B. 1957. A study of the dynamics of fishery for yellowfin tuna in the Eastern tropical Pacific Ocean. *Inter-Am. Trop. Tuna Commn Bull.* 2 : 247-285.
- SCHNUTE, J. 1977. Improved estimates from the Schaefer production model: theoretical considerations. *J. Fish. Res. Board Can.* 34 : 583-603.
- SCHNUTE, J. & D. FOURNIER, 1980. A new approach to length frequency analysis: growth structure. *Can. J. Fish. Aquat. Sci.*, Vol. 37 (9) : 1337-1351.
- SINCLAIR, A., GASCON, D., O'BOYLE, R., RIVARD, D. and S. GAVARIS. 1990. Consistency of some northwest Atlantic groundfish stock assessments. *NAFO Sci. Coun. Studies* 16.
- SHARP, G.D. & A. DIZON, 1978. *The physiological ecology of tunas*. (Editors). *Academic Press*, New York : 485pp.
- SHIOHAMA, T., 1971. Studies on measuring changes in the character of the fishing effort of the tuna longline fishery. Concentrations of the fishing effort to particular areas and species in the Japanese Atlantic fishery. *Bull. Far Seas Fish. Lab.*, 5 : 107-130.

- SHIOHAMA, T., 1976. Overall fishing and catch by length class of albacore in Japanese longline fishery, 1956-1973. *ICCAT Col. Vol. Sci. Pap.* V(2) : 210-215.
- SHIOHAMA, T. 1980: On the migration of north Pacific albacore estimated from the tagging results, 1972-79. NPALB/80/4 : 16pp.
- SHIOHAMA, T. 1981: Distribution of the north Pacific albacore as seen from the longline size composition by area. NPALB/81/12 : 19pp.
- SHOMURA, R. S. 1966: Age and growth studies of four species of tunas in the Pacific Ocean. In Manar, Thomas A. (ed.), Hawaii, *Governor's Conf. Cent. Pacif. Fish. Resources, Proc.* : 203-219.
- SISSEWINE, M.P. 1978. Is MSY an adequate foundation for optimum yield? *Fisheries* 3(6) : 22-42.
- STOCKER, M. and D. FOURNIER. 1984. Estimation of relative fishing power and allocation of effective fishing effort, with catch forecasts, in a multispecies fishery. *Bull. Inter. North Pac. Fish. Comm.*; 42 : 3-9.
- STRETTA, J.M., 1991. Forecasting tuna fishery with aerospatial remote sensing. *Int. J. Rem. Sens.*, 12(4) : 771-779.
- STUDY GROUP on Ecological Impact of Tuna Drift Netting in the north east Atlantic; 1992. Report of the meeting held in Brussels, 17th-19th February : 13pp.
- SUDA, A. 1958: Catch variations in the north Pacific albacore-I. Recruitment and dispersion of the north Pacific albacore. *Nankai Reg. Fish. Res. Lab.*, Rep., 9 : 103-116.
- SUDA, A. 1962: Studies on the population structure and catch variation of the north Pacific albacore. *Nankai Reg. Fish. Res. Lab.*, Rep., 16 : 127-134.
- SUZUKI, Z., Y. WARASHINA and M. KISHIDA. 1977. The comparison of catches by regular and deep tuna longline gears in the western and central equatorial Pacific. *Bull. Far Seas Fish. Res. Lab.* 15 : 51-73.
- TINTORE, J., P.E. La VIOLETTE, I. BLADE & A. CRUZADO, 1988. A study of an intense density front in the eastern Alboran Sea: The Almeria-Oran front. *Journal of Physical Oceanography*, 18 (10) : 1384-1397.
- TROADEC, H. and L. ANTOINE, 1993. Establishment of an age length key for albacore, *Thunnus alalunga*, based on image analysis of dorsal fin ray sections. Contract No.MA.2.459 IFREMER/IEO. Project FAR (DG XIV-CEE).
- TSOU, T.S. 1989. *An application investigation of adjusting Atlantic albacore CPUE by Taiwanese longline fishery using Honma and GLM methods*. MS Thesis, Inst. of Ocean. Nat. Taiwan Univ : 53pp (in Chinese)
- UDA, M., 1973. Pulsative fluctuation of oceanic fronts in association with the tuna fishing grounds and fisheries. *J. Fac. Mar. Sci. Techn. Tokai University*, 7 : 245-265.
- UEYANAGI, S. 1955: On the ripe ovary of the albacore, *Germo germo* (Lacepede), taken from the Indian Ocean. *Jap. Soc. Sci. Fish., Bull.* 20(12) : 1050-1053.
- UEYANAGI, S. 1957: Spawning of the albacore in the western Pacific. *Nankai Reg. Fish. Res. Lab.* Rep., 6 : 113-124.
- UEYANAGI, S. 1969: Observations on the distribution of tuna larvae in the Indo-Pacific Ocean with emphasis on the delineation of the spawning areas of albacore, *Thunnus alalunga*. *Far Seas Fish. Res. Lab., Bull.*, 2 : 177-256.
- UEYANAGI, S., 1971. Larval distribution of tunas and billfishes in the Atlantic ocean. *FAO, Fis.Rep.*, 71 (2) : 297-305.
- UNO, M. 1936: *Germo germo* (Lacepede) in the waters east of Nozima Promontory, Tiba Prefecture (Preliminary Report I). *Jap. Soc. Sci. Fish. Bull.*, 4(5) : 307-309.
- UOSAKI, K. 1994: The standardized longline CPUE of north and south Atlantic albacore. *ICCAT Col. Vol. Sci. Pap.* XLII(1) : 358-362.
- UOZUMI, Y. 1993. Catch at size of albacore caught by Japanese longline fishery in the

- Atlantic ocean from 1956 to 1990. *ICCAT Col. Vol. Sci. Pap.*, XL(2) : 343-353.
- UOZUMI, Y. 1993a: The *CPUE* trend for albacore caught by Japanese longline fishery in the Indian Ocean. *TWS/93/* :9pp.
- UOZUMI, Y. 1993b: The recent *CPUE* trend for south Pacific albacore caught by Japanese longline fishery. *SPC SPAR 5/WP 5* : 9pp.
- UOZUMI, Y. and H. NAKANO, 1994: An historical review of Japanese longline fishery and billfish catches in the Atlantic Ocean. *ICCAT Col. Vol. Sci. Pap.* XLI : 2333-243.
- UOZUMI, Y. 1996. The historical trend of standardized *CPUE* for albacore caught by Japanese longline fishery in the Atlantic Ocean. This volume.
- UOZUMI, Y., 1996. A historical review of Japanese longline fishery and albacore catch in the Atlantic Ocean. This volume.
- von BERTALANFFY, L. 1938. A quantitative theory of organic growth. *Human Biol.* 10(2) : 181-213.
- WAHLEN, B.E., 1986. Incidental dolphin mortality in the eastern tropical Pacific tuna fishery, 1973 through 1978. *Fish. Bull.*, Vol 84, n° 3 : 559-569.
- WALTERS, C. and D. LUDWIG. 1994. Calculation of Bayes posterior probability distributions for key population parameters. *Can. J. Fish. Aquat. Sci.* 51 : 713-722.
- WANG, C. H. 1993: Overview of Taiwan fishing of south Pacific albacore. *SPC SPAR 5/WP 3* : 8pp.
- WEBER, D.D. & RIDWAY, G.J., 1962. The deposition of tetracycline drugs in bones and scales of fish and its possible use for marking. *The Progressive Fish Culturist.* Vol. 24 : 150-155.
- WETHERALL, J. A., R. M. LAURS, R. NISHIMOTO, and M. Y. Y. YONG 1987: Growth variation and stock structure in north Pacific albacore. *NPALB/10/21* : 16pp.
- WU, C. L., S. Y. YEH and H. C. LIU. 1996. Standardization of south Atlantic albacore *CPUE* by using GLM with area-time-species adjustments on Taiwanese data. This volume.
- YABUTA, Y. and M. YUKINAWA 1963: Growth and age of albacore. *Nankai Reg. Fish. Res. Lab. Rep.*, 17 : 111-120.
- YANG, R.T. and C.L. SUN, 1984. Stock assessment of south Atlantic albacore by production model analysis, 1967-1982. *Acta Oceanographica Taiwanica.* 15 : 130-140.
- YEH, S.Y., T.S. TSOU and H.C. LIU. 1991. Assessment of the south Atlantic albacore resource using surplus production models, 1976-1988. *ICCAT Col. Vol. Sci. Pap.* XXXIV : 166-170.
- YEH, S.Y., T.S. TSOU and H.C. LIU. 1992. Assessment of the south Atlantic albacore resource by using surplus production models, 1967-1990. *ICCAT Col. Vol. Sci. Pap.* XXXIX(1) : 265-268.
- YEH, S.Y., H.C. LIU and Y. UOZUMI. 1994. By area comparison of albacore catch rates obtained from the longline fisheries in the south Atlantic. *ICCAT Col. Vol. Sci. Pap.* XLII(1) : 415-420.
- YEH, S.Y., C.L. Wu and H.C. Liu. 1994a. Assessment of south Atlantic albacore resource by adopting production models on Taiwanese 1968-1991 longline data. *ICCAT Col. Vol. Sci. Pap.* XLII(1) : 339-343.
- YOSHIDA, H. O. and T. OTSU 1963: Synopsis of biological data on albacore, *Thunnus germon* (Lacepede), 1800 (Pacific and Indian Oceans). *FAO, Fish. Rep.*, 6(2) : 274-318.