

REFERENCES — BIBLIOGRAPHIE — BIBLIOGRAFIA

- Ahlstrom, E. H., K. Sherman, and P. E. Smith. 1973. Seagoing operations in ichthyoplankton surveys. FAO Fish. Tech. Pap. 122:14-26.
- Aikawa, H. 1952. Notes on the shoal of bonito (skipjack, *Katsuwonus pelamis*) along the Pacific coast of Japan, pp. 32-50. In: Five Japanese papers on skipjack (Translated from Japanese). U.S. Fish Wildl. Serv., Spec. Sci. Rep. Fish. 83.
- Albaret, J. J. 1977. La reproduction de l'albacore (*Thunnus albacares*) dans le golfe de Guinée. Cah. ORSTOM, Sér. Océanogr. XV:389-419.
- Alekseyev, F. E., and E. I. Alekseyeva. 1981. Some aspects of the reproductive biology of oceanic and neritic tunas (Scombridae) in the tropical Atlantic. J. Ichthyol. 21:52-64.
- Allen, K. R. 1971. Relation between production and biomass. J. Fish. Res. Board Can. 28:1573-1581.
- Alverson, F. G. 1963. The food of yellowfin and skipjack tunas in the eastern tropical Pacific Ocean. (in English and Spanish). Inter-Am. Tropical Tuna Comm. Bull. 7:293-396.
- Alverson, F. G., and P. J. Vergne. MS. Atlantic skipjack tuna tagging project. Cruise plan. Living Marine Resources, Inc., San Diego, CA. 12 pp., 5 Appendices.
- Amorim, A. F., S. A. Antunes and C. A. Arfelli. 1981. Relationships of *Katsuwonus pelamis* (Linnaeus, 1758) caught in the south and southeast of Brazil: length-weight and gilled/gutted weight-weight. ICCAT. Collect. Vol. Sci. Pap. XV:129-134.
- Anderson, S., A. T. Bankier, B. G. Barrell, M. H. L. de Bruijn, A. R. Coulson, J. Drouin, I. C. Eperon, D. P. Nierlich, B. A. Roe, F. Sanger, P. H. Schreier, A. J. Smith, R. Staden and I. G. Young. 1981. Sequence and organization of the human mitochondrial genome. Nature 290:457-465.
- Anderson, S., M. H. L. de Bruijn, A. R. Coulson, I. C. Eperon, F. Sanger and I. G. Young. 1982. The complete sequence of bovine mitochondrial DNA; conserved features of the mammalian mitochondrial genome. J. Mol. Biol. 156:683-717.
- Anon. 1976. Distant water purse seining comes of age. Minato Shimbun, No. 8786, October 7, pp. 2-3. (translated from Japanese).
- Antoine, L., P. Cayré et J. Mendoza. 1982. Etude de la croissance du listao (*Katsuwonus pelamis*) de l'Atlantique au moyen de rayons de la nageoire dorsale. Mise au point d'une méthodologie; résultats préliminaires. ICCAT Rec. Doc. Sci. XVII:195-208.
- Argue, A. W. (ed.). 1981. Report of the second skipjack survey and assessment programme workshop to review results from genetic analysis of skipjack blood samples. South Pac. Comm., Skipjack Survey and Assessment Programme, Tech. Rep. 6, 39 pp.
- Argue, A. W., and R. E. Kearney. 1982. An assessment of the skipjack and baitfish resources of Solomon Islands. South Pac. Comm., Skipjack Survey and Assessment Programme, Final Country Rep. 3, 73 pp.
- Argue, A. W., F. Conand and D. Whyman. 1983. Spatial and temporal distributions of juvenile tunas from stomachs of tunas caught by pole-and-line gear in the central and western Pacific Ocean. South Pac. Comm., Tuna and Billfish Assessment Programme, Tech. Rep. 9, 47 pp.
- Asano, M., and T. Tanaka. 1971. Studies on the maturation of the skipjack in the western Pacific Ocean. Bull. Tohoku Reg. Fish. Lab. 31:153-161.
- Astier, R., A. Bouvier, J. Coursol, J. B. Denis, C. Deruin, E. Jolivet, E. Lesquoy, O. Pons, R. Tomassone, J. P. Vila. 1982. GENSTAT, un langage statistique. Inst. Nat. Rech. Agro., Paris. 555 pp.
- Au, D. W. K. 1972. Population dynamics of the coho salmon and its response to logging in three coastal streams. Ph.D. Thesis. Oregon State University, Corvallis, OR. 245 pp.
- Avise, J. C., R. A. Lansman and R. O. Shade. 1979a. The use of restriction endonucleases to

- measure mtDNA sequence relatedness in natural populations. 1. Population structure and evolution in the genus *Peromyscus*. *Genetics* 92:279–295.
- Avise, J. C., C. Giblin-Davidson, J. Laerm, J. C. Patton, and R. A. Lansman. 1979b. mtDNA clones and matriarchal phylogeny within and among geographic populations of the pocket gopher. *Proc. Natl. Acad. Sci.* 76:6694–6698.
- Baglin, R. E., Jr. 1982. Reproductive biology of western Atlantic bluefin tuna. *Fish. Bull. U.S.* 80:121–134.
- Baker, A. N. 1966. Food of marlins from New Zealand waters. *Copeia* 1966:818–822.
- Bakun, A., and R. H. Parrish. 1980. Environmental inputs to fishery population models for eastern boundary current regions, pp 67–104. *In*: G. D. Sharp (ed.). Report and supporting documentation of the workshop on the effects of environmental variation on the survival of larval pelagic fishes April 20–May 5, 1980, Lima, Peru. UNESCO/IOC Workshop Rep. 28.
- Bard, F. X. 1981. Le germon de l'océan Atlantique. De la dynamique de population à la stratégie démographique. Thèse d'Etat Univers. Pierre et Marie Curie, Paris. 330 pp.
- Bard, F. X. MS. Questionnaire réflexionnaire sur les objets aggrégatifs flottants. *Cent. Rech. Océanogr.*, Abidjan.
- Bard, F. X., et D. Pincock. 1982. Rapport sur une expérience de marguage par micro-émetteur ultrasonique, de listaos (*Katsuwonus pelamis*) dans le Golfe de Guinée, en juillet 1981. *ICCAT Rec. Doc. Sci.* XVII:184–188.
- Bard, F. X., S. Kume et L. Antoine. 1983. Données préliminaires sur la croissance, les migrations et la mortalité du listao (*Katsuwonus pelamis*) en Atlantique est obtenues à partir du marquage. *ICCAT Rec. Doc. Sci.* XVIII:271–294.
- Batts, B. S. 1972a. Age and growth of skipjack tuna in North Carolina waters. *Chesapeake Sci.* 13:237–244.
- Batts, B. 1972b. Food habits of the skipjack tuna, *Katsuwonus pelamis*, in North Carolina waters. *Chesapeake Sci.* 13:193–200.
- Batts, B. S. 1972c. Sexual maturity, fecundity and sex-ratios of the skipjack tuna, *Katsuwonus pelamis* (Linnaeus) in North Carolina waters. *Trans. Am. Fish. Soc.* 101:626–637.
- Bayliff, W. H. 1977. Estimates of rates of mortality of skipjack tuna in the eastern Pacific Ocean derived from tagging experiments. *Inter-Am. Tropical Tuna Comm., Internal Rep.* 10, 59 pp.
- Beardsley, G. L., and W. J. Richards. 1970. Size, seasonal abundance, and length-weight relation of some scombrid fishes from south-east Florida. *U.S. Fish Wildl. Serv., Spec. Sci. Rep. Fish.* 595, 6 pp.
- Beebe, W. 1936. Food of the Bermuda and west Indian tunas of the genera *Parathunnus* and *Neothunnus*. *Zoologica* XXI:195–205.
- Benzecri, J. P. (ed.) 1973a. L'analyse des données. Tome I, la taxinomie. Dunod, Paris. 615 pp.
- Benzecri, J. P. (ed.) 1973b. L'analyse des données. Tome II, l'analyse des correspondances. Dunod, Paris. 619 pp.
- Beverton, R. J. H., and S. J. Holt. 1957. On the dynamics of exploited fish populations. *Min. Agr., Fish and Food (U. K.), Fish. Invest. Ser. 2., Vol. 19.* 533 pp.
- Beverton, R. J. H., and S. J. Holt. 1959. A review of lifespans and mortality rates of fish in nature, and their relation to growth and physiological characteristics, pp. 142–180. *In*: G. E. W. Wolstenholme, and M. O'Connor (eds.). *The lifespan of animals.* CIBA Colloq. on Aging, Vol. 5. Little, Brown & Co., Boston, MA.
- Bhattacharya, C. G. 1967. A simple method of resolution of a distribution into gaussian components. *Biometrics* 23:115–135.
- Bibb, M. J., R. A. Van Etten, C. T. Wright, M. W. Walberg and D. A. Clayton. 1981. Sequence and organization of mouse mitochondrial DNA. *Cell* 26:167–180.

- Blackburn, M. 1965. Oceanography and the ecology of tunas. *Oceanogr. Mar. Biol. Ann. Rev.* 3:299–322.
- Blackburn, M., and F. Williams. 1975. Distribution and ecology of skipjack tuna, *Katsuwonus pelamis*, in an offshore area of the eastern tropical Pacific Ocean. *Fish. Bull. U.S.* 73:382–411.
- Blackburn, M., and D. L. Serventy. 1981. Observations on distribution and life history of skipjack tuna, *Katsuwonus pelamis*, in Australian waters. *Fish. Bull. U.S.* 79:85–94.
- Blunt, C. E., Jr. 1960. Observations on the food habits of longline caught bigeye and yellowfin tuna from the tropical eastern Pacific, 1955–1956. *Calif. Fish and Game* 46:69–80.
- Bonner, J. T. 1965. *Size and cycle: an essay on the structure of biology*. Princeton Univ. Press, Princeton, NJ. 219 pp.
- Boroludina, O. D. 1974. The feeding of the bigeye tuna (*Thunnus obesus*) in the Gulf of Guinea and its place in the trophic system of the pelagic zone. *J. Ichthyol.* 14:765–775.
- Boroludina, O. D. 1981. Food composition of yellowfin tuna *Thunnus albacares* (Scombridae). *J. Ichthyol.* 21:38–46.
- Bourlière, J. T. 1957. Aging and metabolism, pp 27–34. *In*: W. B. Yapp, (ed.). *The biology of aging*. Inst. Biol. Symp. 6.
- Brillinger, D. R. 1981. *Time series: data analysis and theory*. Holden-Day Inc., San Francisco, CA. 2nd edition. 540 pp.
- Brock, V. E. 1954. Some aspects of the biology of the aku, *Katsuwonus pelamis*, in the Hawaiian Islands. *Pac. Sci.* 8:94–104.
- Brown, W. J., E. M. Prager, A. Wang and A. C. Wilson. 1982. mtDNA sequences of primates: tempo and mode of evolution. *J. Mol. Evol.* 18:225–239.
- Bunag, D. M. 1956. Spawning habits of some Philippine tuna based on diameter measurements of the ovarian ova. *Philipp. J. Fish.* 4:145–175.
- Calderón de Vizcaíno, A., y H. Salazar. 1984. Captura y esfuerzo de la pesquería Venezolana de atún por palangre y caña durante el año 1981. *ICCAT Col. Doc. Cient.* XX:1–26.
- Calkins, T. P. 1980. Synopsis of biological data on the bigeye tuna, *Thunnus obesus* (Lowe, 1839), in the Pacific Ocean. *Inter-Am. Tropical Tuna Comm., Spec. Rep.* 2:213–259.
- Carles, C. A. 1975a. Evaluación de la pesquería de bonito en la zona occidental de Cuba. *Rev. Cubana de Invest. Pesq.* 1:73–96.
- Carles, C. A. 1975b. Edad y crecimiento del bonito (*Katsuwonus pelamis*) y la albacora (*Thunnus atlanticus*) en la parte occidental de Cuba. *Rev. Cubana de Invest. Pesq.* 1:203–254.
- Carles, C. A., y Y. A. Hirtenfeld. 1976. Resultados de la pesca del bonito (*Katsuwonus pelamis*) y la albacora (*Thunnus atlanticus*) en la parte occidental de Cuba durante 1975. *CIP INP. Inf. Tec.* 8., 6 pp.
- Carles, C. A., y A. Hirtenfeld. 1978. Resultados de la pesca del bonito (*Katsuwonus pelamis*) y la albacora (*Thunnus atlanticus*) en la zona occidental de Cuba durante 1977, IV. *Rev. Cubana de Invest. Pesq.* 3:62–78.
- Carlson, C. 1954. Fishing vessel live-bait equipment. *Mar. Fish. Rev.* 16(1):1–7.
- Cassie, R. M. 1954. Some uses of probability paper in the analysis of size frequency distributions. *Aust. J. Mar. Freshwater Res.* 5:513–522.
- Castanet, J., F. J. Meunier, et A. de Ricqlès. 1977. L'enregistrement de la croissance cyclique par le tissu osseux chez les vertébrés poïkilothermes: données comparatives et essai de synthèse. *Bull. Biol. Fr. Belg.* 111:183–201.
- Caughley, G. 1977. *Analysis of vertebrate populations*. John Wiley and Sons, New York, NY. 234 pp.

- Cayré, P. 1979. Détermination de l'âge de listaos, *Katsuwonus pelamis* (L.), débarqués à Dakar. Note préliminaire. ICCAT. Rec. Doc. Sci. VIII:196–200.
- Cayré, P. 1980. Sur les valeurs critiques du rapport gonado-somatique (RGS) et de l'index gonado-somatique (IGS) du listao (*Katsuwonus pelamis*) et de leur utilisation pour la sélection d'échantillons de gonades. Rapp. Int. Cent. Rech. Océanogr. Dakar-Thiaroye 22, 4 pp.
- Cayré, P. 1981. Maturité sexuelle, fécondité et sex-ratio du listao (*Katsuwonus pelamis* L.) des côtes d'Afrique de l'ouest (20°N–0°N), étudiés à partir des débarquements thoniers (1977 à 1979) au port de Dakar, Sénégal. ICCAT Rec. Doc. Sci. XV:135–149.
- Chatwin, B. M. 1959. The relationships between length and weight of yellowfin tuna (*Neothunnus macropterus*) and skipjack (*Katsuwonus pelamis*) from the eastern tropical Pacific Ocean. (in English and Spanish). Inter-Am. Tropical Tuna Comm. Bull. 3:305–352.
- Chi, K. S., and R. T. Yang. 1973. Age and growth of skipjack tuna in the waters around the southern part of Taiwan. Acta Oceanogr. Taiwanica 3:199–221.
- Choo, W. I., and B. A. Kim. 1976. Fishing of live bait for the Korean pole-and-line fishery. ICCAT Collect. Vol. Sci. Pap. VI:62–68.
- Chur, V. N., V. B. Grudinin and V. L. Zharov. 1980. Data on length-age composition and gonad maturity stages of skipjack (*Katsuwonus pelamis*) of the eastern tropical Atlantic. ICCAT Collect. Vol. Sci. Pap. IX:245–254.
- Cole, J. S. 1980. Synopsis of biological data on the yellowfin tuna, *Thunnus albacares* (Bonaterre, 1788), in the Pacific Ocean. Inter-Am. Tropical Tuna Comm., Spec. Rep. 2:71–150.
- Cole, L. C. 1954. The population consequences of life history phenomena. Q. Rev. Biol. 29:103–137.
- Compéan-Jiménez, G., et F. X. Bard. 1980. Age et croissance du thon rouge de l'Atlantique est *Thunnus thynnus*, déterminés par la lecture des coupes transversales de rayons de nageoires. ICCAT Rec. Doc. Sci. IX:547–552.
- Coursol, J. 1980. Technique statistique des modèles linéaires. l'aspect théorique. CIMPA (ed.), Nice, France. 277 pp.
- Crane, J. 1936. Notes on the biology and ecology of giant tuna *Thunnus thynnus* Linnaeus observed at Portland, Maine. Zoologica 21:207–212.
- Cruz, J. F. da, y M. P. Paiva. 1964. Notas sobre a alimentação de *Thunnus atlanticus* (Lesson), ao largo do nordeste brasileiro. Bol. Inst. Biol. Mar., Univ. R. G. Norte, Natal. 1:33–39.
- Davidoff, E. B. 1963. Size and year class composition of catch, age and growth of yellowfin tuna in the eastern tropical Pacific Ocean, 1951–1961. (in English and Spanish). Inter-Am. Tropical Tuna Comm. Bull. 8:199–251.
- Davies, J. L. 1963. The antitropical factor in cetacean speciation. Evol. 17:107–116.
- Defant, A. 1961. Physical oceanography. Pergamon Press, New York, NY. Vol. 1. 729 pp.
- DeMartini, E. E., and R. K. Fountain. 1981. Ovarian cycling frequency and batch fecundity in the queenfish, *Seriphus politus*: attributes representative of serial spawning fish. Fish. Bull. U.S. 79:547–560.
- De Sylva, D. P., and W. P. Davis. 1963. White marlin, *Tetrapturus albidus*, in the middle Atlantic bight, with observations on the hydrography of the fishing grounds. Copeia 1963:81–99.
- Dempster, A. P., N. M. Laird and D. B. Rubin. 1977. Maximum likelihood from incomplete data via the EM algorithm. J. Royal Statist. Soc. 39:1–38.
- Deuel, D. G. 1973. 1970 salt-water angling survey. U.S. Dept. Comm., Current Fish. Stat. 6200, 54 pp.
- Dragovich, A. 1970a. The food of skipjack and yellowfin tunas in the Atlantic Ocean. Fish. Bull. U.S. 68:445–460.

- Dragovich, A. 1970b. The food of bluefin tuna (*Thunnus thynnus*) in the western North Atlantic Ocean. *Trans. Am. Fish Soc.* 99:726–731.
- Dragovich, A., and T. Potthoff. 1972. Comparative study of food of skipjack and yellowfin tunas off the coast of west Africa. *Fish. Bull. U.S.* 70:1087–1110.
- Duncan, G. T. 1978. An empirical study of jack-knife constructed confidence region in nonlinear regressions. *Technometrics* 20:123–130.
- Erdman, D. S. 1962. The sport fishery for blue marlin off Puerto Rico. *Trans. Am. Fish. Soc.* 91:225–227.
- Evans, R. H., D. R. McLain and R. A. Bauer. 1981. Atlantic skipjack tuna: Influences of mean environmental conditions on their vulnerability to surface fishing gear. *Mar. Fish. Rev.* 43(6):1–11.
- FAO 1981. Yearbook of fishery statistics. Food and Agricultural Organization of the United Nations, Rome. Vol. 52. 357 pp.
- Fabens, A. J. 1965. Properties and fitting of the Von Bertalanffy growth curve. *Growth* 29:265–289.
- Far Seas Fish. Res. Lab. 1974. Larvae of tunas and related species identification method, distribution and occurrences. (in Japanese). Survey report of the Far Seas Fish. Res. Lab., Shimizu, Japan. 35 pp.
- Fenchel, T. 1974. Intrinsic rate of natural increase: the relationship with body size. *Oecologia* 14:317–326.
- Ferris, S. D., W. M. Brown, W. S. Davidson and A. C. Wilson. 1981. Extensive polymorphism in the mitochondrial DNA of apes. *Proc. Natl. Acad. Sci.* 78:6319–6323.
- Fisher, R. A. 1928. On the distribution yielding the error function of several well known statistics. *Proc. Int. Math. Conf. 1924, Toronto, Canada.* 805 pp.
- Fontana, A. 1969. Etude de la maturité sexuelle des sardinelles, *Sardinella eba* (Val.) et *Sardinella aurita* (Cuv. et V. O.) de la région de Pointe-Noire. *Cah. ORSTOM, Sér. Océanogr.* VII:101–114.
- Fontana, A. 1979. Etude du stock démersal côtier congolais. Biologie et dynamique des principales espèces exploitées. Propositions d'aménagement de la pêche. Thèse d'Etat. Univers. Pierre et Marie Curie, Paris. 300 pp.
- Fonteneau, A. 1978. Analyse de l'effort de pêche des thoniers senneurs franco-ivoiro-sénégalais. *Cah. ORSTOM, Sér. Océanogr.* XVI:285–307.
- Fonteneau, A. 1982. Dynamique de la population d'albacore (*Thunnus albacares*, Bonnaterre 1788) de l'océan Atlantique. Thèse d'Etat. Univers. Pierre et Marie Curie, Paris. 324 pp.
- Fonteneau, A., et P. Soisson. 1974. Effort et prise par unité d'effort dans la flottille franco-ivoiro-sénégalaise. *Cah. ORSTOM, Sér. Océanogr.* XIII:145–161.
- Fonteneau, A., et Y. Le Hir. 1980. Note sur la nouvelle saisie des données de la pêche thonière dans le Golfe de Guinée. *Cent. Rech. Océanogr., Abidjan.* 33 pp.
- Fonteneau, A., et P. Cayré. 1983. Statistiques de la pêche thonière FISM durant la période 1969 à 1981. *ICCAT Rec. Doc. Sci.* XVIII:72–82.
- Forsbergh, E. D. 1980. Synopsis of biological data on the skipjack tuna, *Katsuwonus pelamis* (Linnaeus, 1758), in the Pacific Ocean. *Inter-Am. Tropical Tuna Comm., Spec. Rep.* 2:295–360.
- Fourmanoir, P. 1971. Liste des espèces de poissons contenus dans les estomacs de thons jaunes, *Thunnus albacares* (Bonnaterre 1788) et de thons blancs, *Thunnus alalunga* (Bonnaterre 1788). *Cah. ORSTOM, Sér. Océanogr.* IX:109–118.
- Fox, T., D. Hinkley and K. Larntz. 1980. Jackknifing in nonlinear regression. *Technometrics* 22:29–33.

- Fox, W. W., Jr. 1975. Fitting the generalized stock production model by least squares and equilibrium approximation. *Fish. Bull. U.S.* 73:23-37
- Frade, F., et E. Postel. 1955. Contribution à l'étude de la reproduction des Scombridés et Thonidés de l'Atlantique tropical. *Rapp. Proc. Verb. ICES, CXXXVII*:33-35.
- Francis, R. C. 1977. TUNPOP: a simulation of the dynamics and structure of the yellowfin tuna stock and surface fishery of the eastern Pacific Ocean. (in English and Spanish) *Inter-Am. Tropical Tuna Comm. Bull.* 17:213-269.
- Fujino, K. 1969. Atlantic skipjack tuna genetically distinct from Pacific specimens. *Copeia* 1969:626-629.
- Fujino, K. 1970a. Immunological and biochemical genetics of tunas. *Trans. Am. Fish. Soc.* 99:152-178.
- Fujino, K. 1970b. Skipjack tuna subpopulation identified by genetic characteristics in the western Pacific, pp. 385-393. *In: J. C. Marr (ed.). The Kuroshio: A symposium on the Japan current 1968.* East-West Center Press, Honolulu, HI.
- Fujino, K. 1972. Range of the skipjack tuna subpopulation in the western Pacific Ocean, pp. 373-384. *In: K. Sugawara (ed.). The Kuroshio II: Proceedings of the second symposium of the results of the cooperative study of the Kuroshio and adjacent regions, 1970.* Saikon Publishing Co., Tokyo
- Fujino, K. 1976. Subpopulation identification of skipjack tuna specimens from the southwestern Pacific Ocean. *Jpn. Soc. Sci. Fish. Bull.* 42:1229-1235.
- Fujino, K., and T. Kang. 1968. Serum esterase groups of Pacific and Atlantic tunas. *Copeia* 1968:59-63.
- Fujino, K., K. Sasaki and S. Okumura. 1981. Genetic diversity of skipjack tuna in the Atlantic, Indian and Pacific Oceans. *Jpn. Soc. Sci. Fish. Bull.* 47:215-222.
- Ghéno, Y., et J. C. Le Guen. 1968. Détermination de l'âge et de la croissance de *Sardinella eba* (Val.) dans la région de Pointe Noire. *Cah. ORSTOM, Ser. Océanogr.* VI:69-82.
- Giles, R. E., H. Blanc, H. M. Cann and D. C. Wallace. 1980. Maternal inheritance of human mitochondrial DNA. *Proc. Natl. Acad. Sci.* 77:6715-6719.
- Gong, Y., J. U. Lee and W. S. Yang. 1980. Review of the catch composition by species caught by Korean baitboat fishery based in Tema for 1977-1979. *ICCAT Collect. Vol. Sci. Pap.* XV:20-25.
- Gong, Y., and J. U. Lee. 1983. Report on the Korean dart tagging experiments for ISYP during 1981-82. *ICCAT Collect. Vol. Sci. Pap.* XVIII:183-186.
- Gooding, R. M., and J. J. Magnuson. 1967. Ecological significance of a drifting object to pelagic fishes. *Pac. Sci.* 21:486-497.
- Gooding, R. M., W. H. Neill and A. E. Dizon. 1981. Respiration rates and low-oxygen tolerance limits in skipjack tuna, *Katsuwonus pelamis*. *Fish. Bull. U.S.* 79:31-48.
- Gorbunova, N. N., and D. Salabarría. 1967. Reproduction of scombroidei fishes (Pisces, Scombroidei) in western Atlantic, pp 120-131. *In: Sovetsko-Kubinskie Rybok-hozyaistvenny'e Issledovaniya. Pishch. Prom., Moscow, (translated from Russian. Inter-Am. Tropical Tuna Comm., La Jolla, CA).*
- Gosil, H. C. 1954. A descriptive study of certain tuna-like fishes. *Calif. Fish and Game, Fish. Bull.* 97, 185 pp.
- Gosil, H. C., and R. D. Byers. 1944. A systematic study of Pacific tunas. *Calif. Fish and Game, Fish. Bull.* 60, 131 pp.
- Greenblatt, P. R. 1978. Associations of tuna with flotsam in eastern tropical Pacific. *Fish. Bull. U.S.* 77:147-155.
- Guitart, D. J. 1969. Un nuevo sistema para armar redes de ictioplancton. *FAO. Inf. Pesca* 71:449-459.

- Gulland, J. A. 1963. The estimation of fishing mortality rates from tagging experiments. ICNAF Spec. Pub. 4:218–227.
- Gulland, J. A. (ed.). 1964. Symposium on the measurement of abundance of fish stocks. Rapp. Proc. Verb. ICES 155, 223 pp.
- Gulland, J. A. 1977. The stability of fish stocks. J. Cons. Int. Explor. Mer 37:199–204.
- Harris, J. G. K. 1975. The effect of density-dependent mortality on the shape of the stock and recruitment curve. J. Cons. Int. Explor. Mer 36:144–149.
- Hasselblad, V. 1966. Estimation of parameters for a mixture of normal distributions. Technometrics 8:431–444.
- Hastenrath, S., and P. J. Lamb. 1977. Climatic atlas of the tropical Atlantic and eastern Pacific Oceans. University of Wisconsin Press, Madison, WI. 97 pp.
- Hayasi, S., and M. Honma. 1971. Assessment of yellowfin tuna stocks in the Atlantic Ocean, 1956–67. Bull. Far Seas. Fish. Res. Lab. 4:71–92.
- Hennemuth, R. C. 1959a. Morphometric comparison of skipjack from the central and eastern Pacific Ocean. (in English and Spanish). Inter-Am. Tropical Tuna Comm. Bull. 3:239–304.
- Hennemuth, R. C. 1959b. Additional information on the length-weight relationship of skipjack tuna from the eastern tropical Pacific Ocean. (in English and Spanish). Inter-Am. Tropical Tuna Comm. Bull. 4:23–37.
- Hennemuth, R. C. 1961. Year class abundance, mortality, and yield-per-recruit of yellowfin tuna in the eastern Pacific Ocean, 1954–1959. (in English and Spanish). Inter-Am. Tropical Tuna Comm. Bull. 6:1–51.
- Herrick, S. 1983. A review of the tropical tuna fishery of the Atlantic Ocean, 1975–1980. ICCAT Collect. Vol. Sci. Pap. XVIII:50–71.
- Hida, T. S. 1973. Food of tunas and dolphins (Pisces: Scombridae and Coryphaenidae) with emphasis on the distribution and biology of their prey, *Stolephorus buccaneri* (Engraulidae). Fish. Bull. U.S. 71:135–143.
- Hisard, Ph. 1980. Observations de réponses de type “EL NIÑO” dans l’Atlantique tropical oriental, Golfe de Guinée. Océan. Acta 3:69–78.
- Honma, M., T. Kamimura and S. Hayasi. 1971. Compilation of catch records for assessments of yellowfin tuna stocks in the long-line fishery in the Pacific Ocean, and applications to data for the years of 1950 to 1964. Bull. Far Seas Fish. Res. Lab. 4:1–25.
- Honma, M., and Z. Suzuki. 1978. Japanese tuna purse seine fishery in the western Pacific. Far Seas Fish. Res. Lab., S Ser. 10, 66 pp.
- Hotta, H., and T. Ogawa. 1955. On the stomach contents of the skipjack, *Katsuwonus pelamis*. Bull. Tohoku Fish. Res. Lab. 4:62–82.
- Howell-Rivero, L., y M. Juárez Fernández. 1954. Estados larvales y juveniles del bonito *Katsuwonus pelamis*. Torreia 22:1–14.
- Hu, F., and R. T. Yang. 1972. A preliminary study on sexual maturity and fecundity of skipjack tuna. J. Fish. Soc. Taiwan 1:88–98.
- Hubbs, C. L., and R. L. Wisner. 1953. Food of marlin in 1951 off San Diego, California. Calif. Fish and Game 39:127–131.
- Hunter, J. R., and S. R. Goldberg. 1980. Spawning incidence and batch fecundity in northern anchovy, *Engraulis mordax*. Fish. Bull. U.S. 77:641–652.
- Hunter, J. R., and C. T. Mitchell. 1966. Association of fishes with flotsam in the offshore waters of Central America. Fish. Bull. U.S. 66:13–29.
- Hutchinson, G. E. 1979. An introduction to population ecology. Yale Univ. Press, New Haven and London. 260 pp.

- IATTC. 1982. Annual Report of the Inter-American Tropical Tuna Commission, 1981. (in English and Spanish). 303 pp.
- ICCAT. 1978. Report for biennial period, 1976–77, Part II (1977), English version. 289 pp, 3 tables.
- ICCAT. 1979. Tuna size data for 1978 Ghana-based baitboat fishery. ICCAT Stat. Ser. 8, 70 pp.
- ICCAT. 1980a. International skipjack year program plan. July 23–27, 1979, Las Palmas, Spain. (in English, French and Spanish). ICCAT Collect. Vol. Sci. Pap. XII.
- ICCAT. 1980b. Rapport de la réunion sur les thonidés tropicaux juvéniles. (anglais, français, espagnol). ICCAT Rec. Doc. Sci. XIII, 231 pp.
- ICCAT. 1981. Report for biennial period, 1980–81. Part I. English version. 256 pp.
- ICCAT. 1982a. Statistical Bulletin. ICCAT Bull. 12, 123 pp.
- ICCAT. 1982b. Report for biennial period, 1980–81. Part II. English version. 261 pp.
- ICCAT. 1983. Report for biennial period, 1982–83. Part 1 1982. English version. 278 pp.
- ISRA-ORSTOM. 1979. La reproduction des espèces exploitées dans le Golfe de Guinée. Rapport du groupe de travail ISRA-ORSTOM (Dakar, 7–12 Novembre 1977). Doc. Sci. Cent. Rech. Océanogr. Dakar-Thiaroye 67, 213 pp.
- Iles, T. D., and M. Sinclair. 1982. Atlantic herring: stock discreteness and abundance. *Science* 215:627–633.
- Ingham, M. C. 1970. Coastal upwelling in the northwestern Gulf of Guinea. *Bull. Mar. Sci.* 20:1–34.
- Ishii, T. 1968. Studies on estimating parameters of fish populations supplied by sequential recruitment, III. Simultaneous estimation of parameters of Pacific bigeye tuna by the tracing method. *Jpn. Soc. Sci. Fish. Bull.* 34:488–494.
- Ishii, T. 1969. Studies on estimating parameters of a fish population supplied by sequential recruitment, V. Simultaneous estimation of parameters with the transfer effect of Pacific yellowfin tuna. *Jpn. Soc. Sci. Fish. Bull.* 35:537–545.
- Iversen, R. T. B. 1962. Food of albacore tuna, *Thunnus germon* (Lacépède) in the central and northeastern Pacific. *Fish. Bull. U.S.* 62:459–481.
- Iverson, I. L. K. 1971. Albacore food habits. *Calif. Fish and Game* 152:11–46.
- Iwai, T., I. Nakamura and K. Matsubara. 1965. Taxonomic study of the tunas. *Misaki Mar. Biol. Inst., Kyoto Univ., Spec. Rep.* 2:1–51.
- Jones, S. 1963. Synopsis of biological data on the northern bluefin tuna *Kishinoelia tonggol* (Bleeker) 1851 (Indian Ocean), pp. 862–876. *In*: H. Rosa, Jr. (ed.). Proceedings world scientific meeting on the biology of tunas and related species. *FAO Fish. Rep.* 6.
- Joseph, J. 1963. Fecundity of yellowfin tuna (*Thunnus albacares*) and skipjack (*Katsuwonus pelamis*) from the eastern Pacific Ocean. (in English and Spanish). *Inter-Am. Trop. Tuna Comm. Bull.* 7:255–292.
- Joseph, J., and T. P. Calkins. 1969. Population dynamics of the skipjack tuna (*Katsuwonus pelamis*) of the eastern Pacific Ocean. (in English and Spanish). *Inter-Am. Tropical Tuna Comm. Bull.* 13:7–273.
- Josse, E., J. C. Le Guen, R. Kearney, A. Lewis, A. Smith, L. Marec, and P. K. Tomlinson. 1979. Growth of skipjack. *South Pac. Comm., Occas. Paper* 11, 83 pp.
- Juhl, R. 1955. Notes on the feeding habits of subsurface yellowfin and bigeye tunas of the eastern tropical Pacific Ocean. *Calif. Fish and Game* 41:99–101.
- Kaya, C. M., A. E. Dizon, S. D. Hendrix, T. K. Kazama and M. K. K. Queenth. 1982. Rapid and spontaneous maturation, ovulation and spawning of ova by newly captured skipjack tuna, (*Katsuwonus pelamis*). *Fish. Bull. U.S.* 80:393–396.

- Kawasaki, T. 1973. The skipjack tuna resource (Kasuo no Shigen ni Tsuite). (translated from Japanese). Mar. Fish. Rev. 35(5-6):1-7.
- Kearney, R. E. 1978. Some hypotheses on skipjack (*Katsuwonus pelamis*) in the Pacific Ocean. South Pac. Comm., Occas. Pap. 7, 23 pp.
- Kearney, R. E. 1983. Conservation of the tuna resources of the western and central tropical Pacific. South Pac. Comm. planning and evaluation committee meeting 1983, 13: Working Paper 7.
- Keigwin, L. D. 1978. Pliocene closing of the Isthmus of Panama based on biostratigraphic evidence from nearby Pacific Ocean and Caribbean Sea cores. Geology 6:630-634.
- Keigwin, L. D. 1982. Isotopic paleoceanography of the Caribbean and east Pacific: role of Panama uplift in late Neogene time. Science 217:350-353.
- Kihara, Y. 1981. Fishery based on the payao method in the Philippines. Suisan Sekai 30(12):78-84. (translated from Japanese. Southwest Fisheries Center, Honolulu, HI.).
- Kikawa, S. 1962. Studies on the spawning activity of Pacific tunas, *Parathynnus mebachi* and *Neothynnus macropterus*, by the gonad index examination. Nankai Reg. Fish. Res. Lab., Occas. Rep. 1:43-56.
- Kikawa, S., and Y. Nishikawa. 1979. Distribution of larvae of yellowfin tuna and skipjack in the Atlantic Ocean (Preliminary). ICCAT Collect. Vol. Sci. Pap. IX:138-142.
- King, J. E., and I. I. Ikehara. 1956. Comparative study of food of bigeye and yellowfin tuna in the central Pacific. Fish. Bull. U.S. 57:61-85.
- Kishinouye, K. 1923. Contributions to the comparative study of the so-called scombroid fishes. J. Coll. Agri. Imp. Univ., Tokyo, 8:293-475.
- Kitchell, J. F., W. H. Neill, A. E. Dizon, and J. J. Magnuson. 1978. Bioenergetic spectra of skipjack and yellowfin tunas. pp. 357-368. In: G. D. Sharp, and A. E. Dizon (eds.). The physiological ecology of tunas. Academic Press, New York, NY.
- Klawe, W. L. 1960. Larval tunas from the Florida Current. Bull. Mar. Sci. 10:227-233.
- Klawe, W. L. 1961. Young scombroids from the waters between Cape Hatteras and Bahama Islands. Bull. Mar. Sci. 11:150-157.
- Klawe, W. L. 1963. Observations on the spawning of four species of tunas (*Neothynnus macropterus*, *Katsuwonus pelamis*, *Auxis thazard* and *Euthynnus lineatus*) in the eastern Pacific Ocean based on the distribution of their larvae and juveniles. (in English and Spanish). Inter-Am. Tropical Tuna Comm. Bull. 6:449-514.
- Klawe, W. L. 1980. Classification of tunas, mackerels, billfishes, and related species, and their geographical distribution. Inter-Am. Tropical Tuna Comm., Spec. Rep. 2:5-16.
- Kleiber, P. M., A. W. Argue and R. E. Kearney. 1983a. Investigation of skipjack stock for management purposes. ICCAT Collect. Vol. Sci. Pap. XVIII:794-811.
- Kleiber, P. M., A. W. Argue and R. E. Kearney. 1983b. Assessment of skipjack (*Katsuwonus pelamis*) resources in the central and western Pacific by estimating standing stock and components of population turnover from tagging data. South Pac. Comm., Tuna and Billfish Assessment Programme, Tech. Rep. 8, 38 pp.
- Knudsen, P. F. 1977. Spawning of yellowfin tuna and the discrimination of subpopulations. (in English and Spanish). Inter-Am. Tropical Tuna Comm. Bull. 17:117-169.
- Koga, S. 1958a. On the stomach contents of tuna in the west Indian Ocean. Bull. Fac. Fish. Nagasaki 6:85-92. (translated from Japanese. Southwest Fisheries Center, Honolulu, HI.)
- Koga, S. 1958b. On the difference of the stomach contents of tuna and black marlin in the south equatorial Pacific Ocean. Bull. Fac. Fish. Nagasaki 7:31-40. (translated from Japanese. Southwest Fisheries Center, Honolulu, HI.)
- Koopman, B. E. 1956. The theory of search II. Target detection. Operations Res. 4:503-531.

- Krumholz, L. A. 1959. Stomach contents and organ weights of some bluefin tuna, *Thunnus thynnus* (Linnaeus) near Bimini, Bahamas. *Zoologica* 44:127-131.
- Krumholz, L. A., and D. P. de Sylva. 1958. Some food of marlins near Bimini, Bahamas. *Bull. Amer. Mus. Nat. Hist.* 114:406-411.
- Kumaran, M. 1964. Studies on the food of *Euthynnus affinis affinis* (Cantor), *Auxis thazard* (Lacepede), *Auxis thynnoides* (Bleeker) and *Sarda orientalis* (Temminck and Schlegel). *Symp. Scombroid Fishes, Part II. Mar. Biol. Assoc. India*, pp. 599-606.
- Kume, S. 1967. Distribution and migration of bigeye tuna in the Pacific Ocean. *Rep. Nankai Reg. Fish. Res. Lab.* 25:75-80.
- Kume, S. 1977a. Change in catch per unit of effort for skipjack and yellowfin tuna caught by Japanese pole-and-line fishery in the Gulf of Guinea, 1969-1976. *ICCAT Collect. Vol. Sci. Pap.* VII:21-23.
- Kume, S. 1977b. Some biological information on skipjack caught by Japanese longline fishery in the Atlantic Ocean. *ICCAT Collect. Vol. Sci. Pap.* VI:75-78.
- Kume, S. 1980. Estimation on the fishing effort of Japanese baitboat fishery based at Tema. *ICCAT Collect. Vol. Sci. Pap.* XIII:136-137.
- Kume, S. 1981. Progress report on Japanese activity for the international skipjack year program in 1980. *ICCAT Collect. Vol. Sci. Pap.* XV:126-128.
- Kume, S., and J. Joseph. 1966. Size composition, growth and sexual maturity of bigeye tuna, *Thunnus obesus* (Lowe), from the Japanese longline fishery in the eastern Pacific Ocean. (in English and Spanish). *Inter-Am. Tropical Tuna Comm. Bull.* 11:47-99.
- Lambert, J. G. D. 1970. The ovary of the guppy *Poecilia reticulata*. The atretic follicle, a corpus atreticum or a corpus luteum praeovulationis. *Z. Zellforsch. Mikrosk. Anat.* 107:54-67.
- Lansman, R. E., R. O. Shade, J. F. Shapira and J. C. Avise. 1981. The use of restriction endonucleases to measure mtDNA sequence relatedness in natural populations. III. Techniques and potential applications. *J. Mol. Evol.* 17:214-226.
- Laurec, A. 1977. Analyse et estimation des puissances de pêche. *J. Cons. Inst. Explor. Mer.* 37:173-185.
- Laurec, A., et A. Fonteneau. 1979. Estimation de l'abondance d'une classe d'âge. Utilisation des c. p. u. e. de plusieurs engins, en différentes zones et saisons. *ICCAT Rec. Doc. Sci.* VIII:79-100.
- Lauris, R. M., and J. A. Wetherall. 1981. Growth rates of north Pacific albacore *Thunnus alalunga*, based on tag returns. *Fish Bull. U.S.* 79:293-302.
- Lawson, T. A., R. Kearney and J. R. Sibert. 1984. Estimates of length measurement errors for tagged skipjack (*Katsuwonus pelamis*) from the central and western Pacific Ocean. *South Pac. Comm., Tuna and Billfish Assessment Programme, Tech. Rep.* 11, 9 pp.
- Lee, J. U. 1983. Comparative examination of size composition for skipjack and yellowfin sampled from Korean baitboats based in Tema, 1979-1982. *ICCAT Collect. Vol. Sci. Pap.* XVIII:100-105.
- Le Guen, J. C., F. Poinard and J. P. Troadec. 1965. The yellowfin tuna fishery in the eastern tropical Atlantic. (translated from French). *Mar. Fish. Rev.* 27(8):7-18.
- Le Guen, J. C., et C. Champagnat. 1968. Croissance des albacores (*Thunnus albacares*) dans les régions de Pointe-Noire et de Dakar. *Doc. Cent. ORSTOM, Pointe-Noire* 431, 25 pp.
- Le Guen, J. C., F. Baudin-Laurencin et C. Champagnat. 1969. Croissance de l'albacore (*Thunnus albacares*) dans les régions de Pointe-Noire et de Dakar. (English summary) *Cah. ORSTOM, Sér. Océanogr.* 7:19-40.
- Le Guen, J. C., and G. T. Sakagawa. 1973. Apparent growth of yellowfin tuna from the eastern Atlantic Ocean. *Fish. Bull. U.S.* 71:175-187.

- Lenarz, W. H. 1974. Length-weight relations for five eastern tropical Atlantic scombrids. Fish. Bull. U.S. 72:848-851.
- Lester, R. J. G., A. Barnes and G. Habib. MS. Parasites on skipjack tuna. South Pac. Comm., Noumea, New Caledonia.
- Lester, R. J. G. 1981. Preliminary results of observations on the parasites of Pacific skipjack tuna. South Pac. Comm. regional tech. meeting on fish. 1981, 13:Background Paper.
- Lewontin, R. C. 1965. Selection for colonizing ability, pp. 79-94. In: H. Q. Baker and G. L. Stebbins (eds.). The genetics of colonizing species. Academic Press, New York, NY.
- Macer, C. T. 1974. The reproductive biology of the horse mackerel *Trachurus trachurus* (L) in the North Sea and English Channel. J. Fish. Biol. 6:415-438.
- Magnuson, J. J. 1978. Forward, pp xi-xiii. In: G. D. Sharp and A. E. Dizon (eds.). The physiological ecology of tunas. Academic Press, New York, NY.
- Maksimov, V. P. 1971. The biology of the sailfish (*Istiophorus platypterus*) (Shaw and Nodder) in the Atlantic Ocean. J. Ichthyol. 11:850-855.
- Maluf, S., Y. Matsuura and J. L. Stech. 1984. First attempt to identify areas favorable for the surface occurrence of skipjack (*Katsuwonus pelamis*) off the southeastern coast of Brazil. ICCAT Collect. Vol. Sci. Pap. XX:201-211.
- Marchal, E. 1959. Analyse de quelques contenus stomacaux de *Neothunnus albacora* (Lowe). Bull. Inst. Franç. Afr. Noire., Sér. A 21:1123-1136.
- Marr, J. C. 1948. Observations on the spawning of oceanic skipjack (*Katsuwonus pelamis*) and yellowfin tuna (*Neothunnus macropterus*) in the northern Marshall Islands. Fish. Bull. U.S. 51:201-206.
- Mascarenhas, A. S., Jr., L. B. Miranda and N. J. Rock. 1971. A study of the oceanographic conditions in the region of Cabo Frio, pp. 285-295. In: J. D. Costlow (ed.), Fertility of the sea, Vol. 1. Gordon and Breach Science Publishers, New York, NY.
- Matsumoto, W. M. 1958. Description and distribution of larvae of four species of tuna in central Pacific waters. Fish. Bull. U.S. 58:31-72.
- Matsumoto, W. M. 1974. The skipjack tuna, *Katsuwonus pelamis*, an underutilized resource. Mar. Fish. Rev. 36(8):26-33.
- Matsumoto, W. M. 1975. Distribution, relative abundance, and movement of skipjack tuna, *Katsuwonus pelamis*, in the Pacific Ocean based on Japanese tuna long-line catches, 1964-1967. NOAA Tech. Rep., NMFS SSRF 695, 30 pp.
- Matsumoto, W. M., T. K. Kazama and D. C. Aasted. 1981. Anchored fish aggregating devices in Hawaiian waters. Mar. Fish. Rev. 43(9):1-13.
- Matsumoto, W. M., R. A. Skillman and A. E. Dizon. 1984. Synopsis of biological data on skipjack tuna, *Katsuwonus pelamis*, (Linnaeus). NOAA Tech. Rep., NMFS Circ. 451, 92 pp.
- Matsuura, Y. 1982a. Distribution and abundance of skipjack (*Katsuwonus pelamis*) larvae in eastern Brazilian waters. ICCAT Collect. Vol. Sci. Pap. XVII:211-213.
- Matsuura, Y. 1982b. Distribution and abundance of skipjack (*Katsuwonus pelamis*) larvae in eastern Brazilian waters. Bolm. Inst. Oceanogr., S. Paulo 31(2):5-7.
- Matsuura, Y., and G. Sato. 1981. Distribution and abundance of scombroid larvae in southern Brazilian waters. Bull. Mar. Sci. 31:824-832.
- Matthews, F. D., D. M. Damkaer, L. W. Knapp and B. B. Collette. 1977. Food of western north Atlantic tunas (*Thunnus*) and lancefishes (*Alepisaurus*). NOAA Tech. Rep., NMFS SSRF 706, 19 pp.
- May, R. M. 1976. Models for single populations, pp. 4-25. In: R. M. May. (ed). Theoretical ecology, principles and applications, W. B. Saunders Co., Philadelphia, PA.
- May, R. M., G. R. Conway, M. P. Hassell, and T. R. E. Southwood. 1974. Time delays, density dependence, and single species oscillations. J. Animal Ecol. 43:747-770.

- McHugh, J. L. 1952. The food of albacore (*Germon alalunga*) off California and Baja California. Scripps Inst. Oceanogr. Bull. 6:161-172.
- Merle, J. 1977. Seasonal variations of temperature and circulation in the upper layers of the equatorial Atlantic Ocean (G. A. T. E. Area). GATE workshop, Miami, FL, February 28 to March 10, 1977.
- Merle, J., et J. Le Floch. 1978. Cycle annuel moyen de la température dans les couches supérieures de l'océan Atlantique intertropical. Océan. Acta 1:271-276.
- Merle, J., M. Fieux and P. Hisard. 1980. Annual signal and interannual anomalies of sea surface temperature in the eastern equatorial Atlantic Ocean. Deep Sea Res., GATE Sup. II, 26:77-101.
- Michaelson, J. C. 1982a. Large-scale, long period ocean-atmosphere interactions in the north Pacific region. Ph.D. Thesis, University of California, Berkeley, CA. 216 pp.
- Michaelson, J. C. 1982b. A statistical study of large-scale, long-period variability in north Pacific sea surface temperature anomalies. J. Phys. Oceanogr. 12:694-703.
- Miller, G. L., and S. C. Jorgenson. 1973. Meristic characters of some marine fishes of the western Atlantic. Fish. Bull. U.S. 71:301-312.
- Miyake, P. M., and S. Hayasi. 1978. Field manual for statistics and sampling of Atlantic tunas and tuna-like fishers (second edition). ICCAT, Madrid. 149 pp., annex.
- Montolio, M. A., y M. Juárez. 1976. Estimado preliminar de la población en desove del bonito (*K. pelamis* Lin., 1758) en el Caribe occidental. Rev. Cubana de Invest. Pesq 2:267-276.
- Mori, K. 1972a. Estimation of body length based on partial lengths in skipjack (*Katsuwonus pelamis*) found in the stomachs of apex predators. Bull. Far Seas Fish. Res. Lab. 6:1-21.
- Mori, K. 1972b. Geographical distribution and relative apparent abundance of some scombroid fishes based on the occurrence in the stomachs of apex predators caught on tuna longline I. Juvenile and young of skipjack tuna (*Katsuwonus pelamis*). Bull. Far Seas Fish. Res. Lab. 6:111-168.
- Morita, T. 1960. Fishing-ground constitutional studies on the white-marlin, *Marlina marlina* Jordan & Hill over the east China Sea — I. On the fishing-ground occurring with the seasonal change of the environment. Jpn. Soc. Sci. Fish. Bull. 26:887-893.
- Morita, Y. 1973. Conversion factors for estimating live weight from gilled-and-gutted weight of bigeye and yellowfin tunas. Bull. Far Seas Fish. Res. Lab. 9:109-121.
- Morrow, J. E., Jr. 1952. Food of the striped marlin, *Makaira mitsukurii* from New Zealand. Copeia. 1952:143-145.
- Murdy, E. O. 1980. The commercial harvesting of tuna-attracting payaos: a possible boon for small-scale fishermen. ICLARM Newsl. 3:10-13.
- Murphy, G. M. 1967. Vital statistics of the Pacific sardine (*Sardinops caerulea*) and the population consequences. Ecology 48:731-736.
- Murphy, T. C., and G. T. Sakagawa. 1977. A review and evaluation of estimates of natural mortality rates of tunas. ICCAT Collect. Vol. Sci. Pap. VI:117-123.
- Nakamura, E. L. 1965. Food and feeding habits of skipjack tuna (*Katsuwonus pelamis*) from the Marquesas and Tuamotu Islands. Trans. Am. Fish. Soc. 94:236-242.
- Nakamura, I. 1965. Relationships of fishes referable to the subfamily Thunninae on the basis of the axial skeleton. (in Japanese). Bull. Misaki Mar. Biol. Inst. 8:7-38.
- Naganuma, A. 1979. On spawning activities of skipjack tuna in the western Pacific Ocean. (in Japanese, English summary). Bull. Tohoku Fish. Reg. Res. Lab. 40: 1-13.
- Negreiros, J. A., and J. H. Meneses de Lima. 1980. Relatório da reunião do grupo permanente de estudos sobre atuns e afins. Superintendência do Desenvolvimento da Pesca, Brasília, Brasil. 24 pp., 12 tables, 9 figures, 7 Anexes.

- Nei, M., and F. Tajima. 1981. DNA polymorphism detectable by restriction endonucleases. *Genetics* 97:145-163.
- Nishikawa, Y., S. Kikawa, M. Honma, and S. Ueyanagi. 1978. Distribution atlas of larval tunas, billfishes and related species. Results of larval surveys by R/V Shunyo-Maru and Shoyo-Maru, 1956-1975. *Far Seas Fish. Res. Lab., S. Ser.* 9, 99 pp.
- Nishikawa, Y., and S. Kikawa. 1983. A note on the juvenile blackfin tuna, *Thunnus atlanticus*, and frigate tuna, *Auxis spp.*, from the stomach contents of longline-caught tunas and billfishes in the western North Atlantic Ocean. *ICCAT Collect. Vol. Sci. Pap.* XVIII:693-697.
- O'Brien, J. J., D. Adamec and D. W. Moore. 1978. A simple model of equatorial upwelling in the Gulf of Guinea. *Geophys. Res. Letters* 5:641-644.
- Oliphan, M. S. 1971. Pacific bonito food habits. *Calif. Fish and Game* 152:64-82.
- Orange, C. J. 1961. Spawning of yellowfin tuna and skipjack in the eastern tropical Pacific as inferred from studies of gonad development. (in English and Spanish). *Inter-Am. Trop. Tuna Comm. Bull.* 5:457-526.
- ORSTOM. 1976. Rapport du groupe de travail sur le listao atlantique, Dakar, 22-27 mars 1976. (en français et anglais) Institut Sénégalais de Recherches Agricoles, ORSTOM Dakar. 91 pp.
- Parrish, R. H., C. S. Nelson and A. Bakun. 1981. Transport mechanisms and reproductive success of fishes in the California Current. *Biol. Oceanogr.* 1:175-203.
- Pauley, D. 1980. On the interrelationships between natural mortality, growth parameters, and mean environmental temperature in 175 fish stocks. *J. Cons. Int. Explor. Mer* 39:175-192.
- Pauley, D., and D. David. 1981. ELEFAN I, a BASIC program for the objective extraction of growth parameters from length-frequency data. *Meeresforsch.* 28:205-211.
- Pella, J. J., and P. K. Tomlinson. 1969. A generalized stock production model. (in English and Spanish). *Inter-Am. Trop. Tuna Comm. Bull.* 13:419-496.
- Pella, J. J., and C. T. Psaropoulos. 1975. Measures of tuna abundance from purse-seine operations in the eastern Pacific Ocean, adjusted for fleetwide evolution of fishing power, 1960-1971. (in English and Spanish). *Inter-Am. Tropical Tuna Comm. Bull.* 16:281-400.
- Pereira, J. 1983. Pêche et recherche thonières aux Açores. *ICCAT Rec. Doc. Sci.* XVIII:747-753.
- Perrin, W. F., R. R. Warner, C. H. Fiscus and D. B. Holts. 1973. Stomach contents of porpoise, *Stenella spp.* and yellowfin tuna, *Thunnus albacares* in mixed species aggregations. *Fish. Bull. U.S.* 71:1077-1092.
- Petersen, C. G. J. 1895. Eine methode zur Bestimmung des Alters und Weichses der Fische. (in German). *Mitt. Deutsch. Seefischerei-Vereins* 11:226-235.
- Pianet, R. 1974. Relation poids-longueur des listaos (*Katsuwonus pelamis*) pêchés dans le secteur de Pointe-Noire. *ICCAT Rec. Doc. Sci.* II:126-133.
- Pianet, R. 1980. La pêcherie de listaos (*Katsuwonus pelamis*) dans l'Atlantique tropicale est; état des stocks au 31 décembre 1978. *ICCAT Rec. Doc. Sci.* IX:275-281.
- Pianet, R. 1983. Rapport du groupe de travail sur le traitement des données de l'année listao. *ICCAT Rec. Doc. Sci.* XVIII:302-342.
- Picaut, J. 1982. Propagation of the seasonal upwelling in the eastern equatorial Atlantic. *J. Phys. Oceanogr.* 13:18-37.
- Picaut, J., J. M. Verstraete et A. Morlière. 1978. Ondes forcées par la marée et l'atmosphère le long des côtes du Golfe de Guinée. *CNEXO Rep. Univ. de Bretagne Occidentale, France.* 78 pp.
- Pienaar, L. V., and W. E. Ricker. 1968. Estimating mean weight from length statistics. *J. Fish. Res. Board Can.* 25:2743-2747.

- Pinkas, L. 1971. Bluefin tuna food habits. Calif. Fish and Game, Fish. Bull. 152:47-63.
- Pope, J. A. 1975. Measurement of fishing effort. Rapp. Proc. Verb. ICES 168, 102 pp.
- Postel, E. 1954. Contribution à l'étude des thonidés de l'Atlantique tropical. J. Cons. Int. Explor. Mer. 19:356-362.
- Postel, E. 1955. La bonite à ventre rayé (*Katsuwonus pelamis*) dans la région du Cap Vert. Bull. Inst. France, Afr. Noire, Ser. A. 17:1202-1213.
- Postel, E., 1964. Sur deux lots de Germon (*Germo alalunga*) capturés dans le Golfe de Guinée par les palangriers japonais. Cah. ORSTOM, Sér. Océanogr. II:55-60.
- Potthoff, T., and W. J. Richards. 1970. Juvenile bluefin tuna, *Thunnus thynnus* (Linnaeus), and other scombrids taken by terns in the Dry Tortugas, Florida. Bull. Mar. Sci. 20:389-413.
- Priede, I. G. 1977. Natural selection for energetic efficiency and the relationship between activity level and mortality. Nature 267:610-611.
- Raju, G. 1962. Observations on the food and feeding habits of the oceanic skipjack *Katsuwonus pelamis* (Linnaeus) of the Laccadive Sea during the years 1958-59. Symp. Scombroid Fishes, Part II. Mar. Biol. Assoc. India; pp. 607-625.
- Raju, G. 1963. Spawning of the oceanic skipjack *Katsuwonus pelamis* (Linnaeus) in the Laccadive Sea., pp 1669-1682 In: H. Rosa, Jr. (ed.). Proceedings, world scientific meeting on the biology of tunas and related species. FAO Fish. Rep. 6.
- Raju, G. 1964a. Studies on the spawning of the oceanic skipjack *Katsuwonus pelamis* (Linnaeus) in Minicoy waters. Symp. Scombroid Fishes, Part II. Mar. Biol. Assoc. India, pp. 744-768.
- Raju, G. 1964b. Fecundity of the oceanic skipjack *Katsuwonus pelamis* (Linnaeus) of Minicoy. Symp. Scombroid Fishes, Part II. Mar. Biol. Assoc. India, pp. 725-732.
- Ramos, F., y M. Gerardo-Guerra. 1976. Operaciones atuneras con barco-cebo en Venezuela durante 1974. ICCAT Col. Doc. Cient. V:11-14.
- Rasmussen, E. M., P. A. Arkin, T. H. Carpenter, J. Koopman, A. F. Krueger and R. W. Reynolds. 1983. A warm episode in the eastern equatorial Pacific Ocean. Tropical Ocean-Atmosphere Newsl. 16:1-3.
- Reintjens, J. W., and J. E. King. 1953. Food of yellowfin tuna in the central Pacific. Fish. Bull. U.S. 54:91-110.
- Richards, W. J., M. F. McGowan and J. A. Ortner. MS. Summary of Gulf of Mexico ichthyoplankton research. Southeast Fisheries Center, Miami, FL. 13 pp., 9 Figs.
- Richards, W. J. 1969. Distribution and relative apparent abundance of larval tunas collected in the tropical Atlantic during Equalant surveys I and II. Proc. symp. oceanography and fisheries resources of the tropical Atlantic, UNESCO, pp. 289-315.
- Richards, W. J., and D. C. Simmons. 1971. Distribution of tuna larvae (*Pisces*, Scombridae) in the northwestern Gulf of Guinea and off Sierra Leone. Fish. Bull. U.S. 69:555-568.
- Richardson, B. J. 1978. Skipjack tuna stocks identification. New Zealand Min. Agr. Fish., Fish. Res. Div., Occas. Publ. 15:63-64.
- Richardson, B. J. 1983. Distribution of protein variation in skipjack tuna (*Katsuwonus pelamis*) from the central and south-western Pacific. Aust. J. Mar. Freshwater Res. 34:231-251.
- Ricker, W. E. 1958. Handbook of computations for biological statistics of fish populations. Fish. Res. Board Can., Bull. 119, 300 pp.
- Ricker, W. E. 1975. Computation and interpretation of biological statistics of fish populations. Fish. Res. Board Can., Bull. 191, 382 pp.
- Rinaldo, R. G. MS. Western Atlantic skipjack tuna (*Katsuwonus pelamis*) evaluation of available fishery and biological data. Southwest Fisheries Center, La Jolla, CA. 22 pp, 17 Figs.

- Rinaldo, R., R. H. Evans and P. J. Vergne. 1981. Preliminary results of a 1980 skipjack tuna tagging cruise in the western Atlantic and Caribbean Sea. ICCAT Collect. Vol. Sci. Pap. XV:150–164.
- Robson, D. S. 1966. Estimation of the relative fishing power of individual ships. Int. Comm. Northw. Atlant. Fish., Res. Bull. 3:5–14.
- Ronquillo, I. A. 1953. Food habits of tunas and dolphins based upon the examination of their stomach contents. Philipp. J. Fish. 2:72–83.
- Ronquillo, I. A. 1963. A contribution to the biology of Philippine tunas, pp. 1683–1752. In: H. Rosa, Jr. (ed.). Proceedings world scientific meeting on the biology of tunas and related species. FAO Fish. Rep. 6.
- Rothschild, B. J. 1963. Skipjack ecology, pp. 13–17. In: W. G. Van Campen (ed.). U.S. Bureau of Commercial Fisheries, Hawaii area, Biological Laboratory. Progress in 1961–1962. U.S. Fish Wildl. Serv., Circ. 163, 35 pp.
- Rothschild, B. J. 1965. Hypothesis on the origin of exploited skipjack tuna (*Katsuwonus pelamis*) in the eastern and central Pacific Ocean. U.S. Fish Wildl. Serv., Spec. Sci. Rep. Fish. 512, 20 pp.
- Rothschild, B. J. 1967. Estimates of the growth of skipjack tuna (*Katsuwonus pelamis*) in the Hawaiian Islands. Proc. Indo-Pac. Fish. Counc. 12th Sess., Sect. II:100–111.
- Rothschild, B. J. 1983. On the allocation of fisheries stock, pp. 85–91. In: J. W. Reintjes, (ed.). Improving multiple use of coastal and marine resources. Amer. Fish. Soc.
- Rothschild, B. J., and D. G. Heimbuch. 1983. Managing variable fishery stocks in an uncertain environment — “the design of fishery management systems,” pp. 1141–1159. In: G. D. Sharp and J. Csirke (eds.). Proceedings of the expert consultation to examine changes in abundance and species composition of neritic fish stocks, San Jose, Costa Rica. FAO Fish. Rep. 291.
- Roy, C. 1981. Sur le phénomène de la petite saison froide dans le Golfe de Guinée. Diplôme d'Etudes Approfondies Report. Univer. de Bretagne Occidentale, France. 38 pp.
- Royce, W. F. 1957. Observations on the spearfishes of the central Pacific. Fish. Bull. U.S. 57:497–554.
- Rudomiotkina, G. P. 1983. Dates and conditions of the spawning of the skipjack, *Katsuwonus pelamis* (L.), based on the distribution of their larvae in the tropical Atlantic. ICCAT Collect Vol. Sci. Pap. XVIII:295–301.
- Sakagawa, G. T. 1975. The purse-seine fishery for bluefin tuna in the northwestern Atlantic Ocean. Mar. Fish. Rev. 37(3):1–8.
- Sakagawa, G. T., and A. L. Coan. 1977. State of the skipjack tuna stocks of the Atlantic Ocean from production model analysis, 1969–75. ICCAT Collect. Vol. Sci. Pap. VI:132–139.
- Sakamoto, H. 1967. Regional change in age composition of bigeye caught by longline gear in the Indian Ocean. Rep. Nankai Reg. Fish. Res. Lab. 25:59–66.
- Schaefer, M. B. 1962. Report on the investigations of the Inter-American Tropical Tuna Commission for the year 1961, Appendix A. Ann. Rep. Inter-Amer. Tropical Tuna Comm. for 1961.
- Schaefer, M. B. 1967. Fishery dynamics and present status of the yellowfin tuna population of the eastern Pacific Ocean. (in English and Spanish). Inter-Am. Tropical Tuna Comm. Bull. 12:87–136.
- Schaefer, M. B., and J. C. Marr. 1948. Spawning of yellowfin tuna (*Neothunnus macropterus*) and skipjack (*Katsuwonus pelamis*) in the Pacific Ocean off Central America with descriptions of juveniles. Fish. Bull. U.S. 51:187–196.
- Schaefer, M. B., and C. J. Orange. 1956. Studies of the sexual development and spawning of yellowfin tuna (*Neothunnus macropterus*) and skipjack (*Katsuwonus pelamis*) in three areas

- of the eastern Pacific Ocean, by examination of gonads. (in English and Spanish). Inter-Am. Tropical Tuna Comm. Bull. 1:281-349.
- Scheffe, H. 1953. A method of judging all contrasts in the analysis of variance. *Biometrika* 40:87-104.
- Scott, W. B., and S. N. Tibbo. 1968. Food and feeding habits of swordfish, *Xiphias gladius*, in the western north Atlantic. *J. Fish. Res. Board Can.* 25:903-919.
- Scott, W. B., and S. N. Tibbo. 1974. Food and feeding habits of swordfish, *Xiphias gladius* Linnaeus, in the northwest Atlantic Ocean, pp. 138-141. *In*: R. S. Shomura and F. Williams (eds). Proc. Internat. Billfish Symp., Kailua-Kona, Hawaii, 1972. Part 2. Review and contributed papers. NOAA Tech. Rep. NMFS, SSRF. 675.
- Servain, J., J. Picaut and J. Merle. 1982. Evidence of remote forcing in the equatorial Atlantic Ocean. *J. Phys. Oceanogr.* 12:457-463.
- Sharp, G. D. 1978. Behavioral and physiological properties of tunas and their effects on vulnerability to fishing gear, pp. 397-449. *In*: G. D. Sharp and A. E. Dizon (eds.). The physiological ecology of tunas. Academic Press, New York, NY.
- Sharp, G. D. 1981a. Colonization: modes of opportunism in the ocean, pp. 143-166. *In*: G. D. Sharp (ed). Report and supporting documentation of the workshop on the effects of environmental variation on the survival of larval pelagic fishes, April 20-May 5, 1980, Lima, Peru. UNESCO/IOC, Workshop Rep. 28.
- Sharp, G. D. (ed). 1981b. Report and supporting documentation of the workshop on the effects of environmental variation on the survival of larval pelagic fishes, April 20-May 5, 1980, Lima, Peru. UNESCO/IOC, Workshop Rep. 28, 323 pp.
- Sharp, G. D. 1983. Tuna fisheries, elusive stock boundaries and illusory stock concepts. ICCAT Collect. Vol. Sci. Papers XVIII:812-829.
- Sharp, G. D. MS. What is a tuna school? Working document for ICCAT/SCRS symposium on the definition of tuna and billfish habitats and effects of environmental variations on apparent abundance and vulnerability to fisheries, November 5, 1981, Tenerife, Canary Islands, Spain. FAO w/p 2620, 74 pp.
- Sharp, G. D., and A. E. Dizon (eds). 1978. The physiological ecology of tunas. Academic Press, New York, NY. 485 pp.
- Shimonoseki Univ. 1981. Oceanographic observations and biological researches on waters off Amazon River, northern Brazil, 1979. Data of Oceanographic observations and exploratory fishing 10, 94 pp., 28 Figs. Shimonoseki Univ., Japan.
- Shingu, C., P. K. Tomlinson and C. L. Peterson. 1974. A review of the Japanese longline fishery for tunas and billfishes in the eastern Pacific Ocean, 1967-1970. (in English and Spanish) Inter-Am. Tropical Tuna Comm. Bull. 16:65-230.
- Shomura, R. S. 1966. Age and growth studies of four species of tunas in the Pacific Ocean, pp. 203-219. *In*: T. A. Manar (ed.). Proceedings governor's conference on central Pacific fishery resources, State of Hawaii, Honolulu, HI.
- Shomura, R. S., and B. A. Keala. 1963. Growth and sexual dimorphism in growth of bigeye tuna (*Thunnus obesus*). A preliminary report, pp. 1409-1417. *In*: H. Rosa, Jr (ed.). Proceedings of the world scientific meeting on the biology of tunas and related species. FAO Fish. Rep. 6.
- Shumway, R. H., and D. S. Stoffer. 1982. An approach to time series smoothing and forecasting using the EM algorithm. *J. Time Ser. Analysis* 3:252-264.
- Sibert, J. R., R. E. Kearney, and T. A. Lawson. 1983. Variation in growth increments of tagged skipjack (*Katsuwonus pelamis*). South Pac. Comm., Tuna and Billfish Assessment Programme, Tech. Rep. 10, 43 pp.
- Silas, E. G., and P. O. Pillai. 1982. Resources of tunas and related species and their fisheries in the Indian Ocean. Bull. Central Mar. Fish. Res. Inst. 32, 174 pp.

- Simmons, D. C. 1969. Maturity and spawning of skipjack tuna (*Katsuwonus pelamis*) in the Atlantic Ocean, with comments on nematode infestation of the ovaries. U.S. Fish Wildl. Serv., Spec. Sci. Rep. Fish. 580, 17 pp.
- Southwood, T. R. E., R. M. May, M. P. Hassell, and G. R. Conway. 1974. Ecological strategies and population parameters. *Am. Nat.* 108:791-804.
- SPC. 1976. Ad hoc meeting of scientists to discuss skipjack fisheries developments and research requirements, December 6-10, 1976, Noumea, New Caledonia. South Pac. Comm., Noumea, New Caledonia. 17 pp. 6 Figs., 3 Annexes.
- SPC. 1980. Review of preliminary results from genetic analysis of skipjack blood samples collected by the skipjack survey and assessment programme. South Pac. Comm., Skipjack Survey and Assessment Programme, Tech. Rep. 1, 22 pp.
- SPC. 1981a. Skipjack migration, mortality and fishery interactions. South Pac. Comm. regional tech. meeting on fish. 1981, 13:Working Paper 9.
- SPC. 1981b. An appraisal of the genetic analysis of skipjack blood samples. South Pac. Comm. regional tech. meeting on fish. 1981, 13:Working Paper 10.
- SPC. 1981c. Effects of skipjack tagging procedures on subsequent tag recoveries. South Pac. Comm. regional tech. meeting on fish. 1981, 13:Working Paper 8.
- SPC. 1981d. Report of the second skipjack survey and assessment programme workshop to review results from genetic analysis of skipjack blood samples. South Pac. Comm., Skipjack Survey and Assessment Programme, Tech. Rep. 6, 39 pp.
- Squire, J. L., Jr. 1962. Distribution of tunas in oceanic waters of the northwestern Atlantic. *Fish. Bull. U.S.* 62:323-341.
- Stearns, S. C. 1976. Life history tactics: a review of the ideas. *Q. Rev. Biol.* 51:3-47.
- Stevens, E. D. 1972. Some aspects of gas exchange in tuna. *J. Exper. Biol.* 56:809-823.
- Stéquert, B. 1976. Etude de la maturité sexuelle, de la ponte et de la fécondité du listao (*Katsuwonus pelamis*) de la côte nord-ouest de Madagascar. *Cah. ORSTOM., Sér. Océanogr.* XIV:227-247.
- Stéquert, B., et F. Marsac. 1983. Pêche thonière à la senne. Expérience dans l'océan Indien. ORSTOM, Col. Initiation Doc. Tec. 59, 30 pp.
- Stretta, J. M., et M. Slepoukha. 1983. Les satellites, l'ordinateur et l'aide à la pêche thonière. *La Pêche Maritime*, January: 38-40.
- Suarez-Caabro, J. A., y P. R. Duarte-Bello. 1961. Biología pesquera del bonito *Katsuwonus pelamis* y la albacora (*Thunnus atlanticus*) en Cuba. I. *Inst. Cubana. Invest. Technol., Ser. Estudios* 15, 151 pp., 67 Fig., 40 tablos.
- Suda, A. 1953. Juvenile skipjack from the stomach contents of tunas and marlins. (in Japanese, English summary). *Jpn. Soc. Sci. Fish. Bull.* 19:319-340.
- Suda, A. 1971. Tuna fisheries and their resources in the IPFC area. *Far Seas Fish. Res. Lab., S Ser.* 5, 58 pp.
- Suda, A., and S. Kume. 1967. Survival and recruitment of bigeye tuna in the Pacific Ocean, estimated by data of tuna longline catch. (in Japanese, English summary). *Rep. Nankai Reg. Fish. Res. Lab.* 25:91-103.
- Sund, P. N., M. Blackburn and F. Williams. 1981. Tunas and their environment in the Pacific Ocean: a Review. *Oceanogr. Mar. Biol., Ann. Rev.* 19:443-512.
- Sund, P. N., and W. J. Richards. 1967. Preliminary report on the feeding habits of tunas in the Gulf of Guinea. U.S. Fish Wildl. Serv., Spec. Sci. Rep. Fish. 552, 6 pp.
- Suzuki, Z. 1971. Comparison of growth parameters estimated for the yellowfin tuna in the Pacific Ocean. (in Japanese, English summary). *Bull. Far Seas Fish. Res. Lab.* 5:89-105.

- Suzuki, Z. 1981. A preliminary analysis on mixing of species within schools fished by Tema-based Japanese baitboat fleet during 1979 and 1980. ICCAT Collect. Vol. Sci. Pap. XV:91-98.
- Symons, P. E. K. 1976. Behavior and growth of juvenile Atlantic salmon (*Salmo salar*) and three competitors at two stream velocities. J. Fish. Res. Board Can. 33:2766-2773.
- Tanaka, S. 1962. A method of analyzing a polymodal frequency distribution and its application to the length distribution of the progy, *Taius tumifrons* (T. and S.). J. Fish. Res. Board Can. 19:1143-1159.
- Tester, A. L., and E. L. Nakamura. 1957. Catch rate, size, sex and food of tunas and other pelagic fishes taken by trolling off Oahu, Hawaii, 1951-55. U.S. Fish Wildl. Serv., Spec. Sci. Rep., Fish. 250, 25 pp.
- The Ring Group. 1981. Gulf stream cold-core rings: their physics, chemistry and biology. Science 212:1091-1100.
- Thomas, P. T. 1962. Food of *Katsuwonus pelamis* (Linnaeus) and *Neothunnus macropterus* (Temminck and Schlegel) from Minicoy waters during the season 1960-61. Symp. Scombroid Fishes, Part II. Mar. Biol. Assoc. India: 626-630.
- Tomlinson, P. K. 1970. A generalization of the Murphy catch equation. J. Fish. Res. Board Can. 27:821-825.
- Tomlinson, P. 1971. BGC 4, pp. 126-135. In: N. Abramson (ed.) Computer programs of fish stock assessment. FAO Fish. Tech. Pap. 101.
- Ueyanagi, S. 1966. Biology of tunas and billfishes. (in Japanese). Jpn. Soc. Sci. Fish. Bull. 32:739-755.
- Ueyanagi, S., and H. Watanabe. 1964. Methods of identification of larvae of tunas and billfishes (II). (in Japanese). Nankai Reg. Fish. Res. Lab., 16 pp.
- Uchiyama, J. H., and P. Struhsaker. 1981. Age and growth of skipjack *Katsuwonus pelamis* tuna and yellowfin *Thunnus albacares* tunas as indicated by daily growth increments of sagittae. Fish. Bull. U.S. 79:151-162.
- Vawter, A. T., R. H. Rosenblatt and G. C. Gorman. 1980. Genetic divergences among fishes of the eastern Pacific and the Caribbean support for the molecular clock. Evol. 34:705-711.
- Verstraete, J. M., J. Picaut and A. Morlière. 1980. Atmospheric and tidal observations along the shelf of the Guinea Gulf. Deep Sea Res., GATE Sup. II, 26:343-356.
- Voituriez, B. 1981. The equatorial upwelling in the eastern Atlantic, pp. 229-247. In: Recent progress in equatorial oceanography. Nova University Press, Fort Lauderdale, FL.
- Voituriez, B., A. Herbland et R. Le Borgne. 1982. L'upwelling equatorial de l'Atlantique est pendant l'expérience météorologique mondiale (PEMG). Océan. Acta 5:301-314.
- Vooren, C. M. 1976. Biological data on skipjack in New Zealand waters 1973-76. Proceedings of the skipjack tuna conference July, 1976. New Zealand Fish. Res. Div, Occas. Publ. 11:12-16.
- Voss, G. L. 1953. A contribution to the life history and biology of the sailfish, *Istiophorus americanus* Cuv. & Val., in Florida waters. Bull. Mar. Sci. 3:206-240.
- Wade, C. B. 1950. Observations on the spawning of Philippine tuna. Fish. Bull. U.S. 51:409-423.
- Wagner, D. P., 1974. Results of live bait and pole-and-line fishing explorations for pelagic fishes in the Caribbean. Mar. Fish. Rev. 36(9):31-35.
- Wagner, D. P., and R. S. Wolf. 1974. Results of troll fishing explorations in the Caribbean. Mar. Fish. Rev. 36(9):35-43.
- Waldron, K. D., and J. E. King. 1963. Food of skipjack in the central Pacific. pp. 1431-1457. In: H. Rosa, Jr. (ed.), Proceedings world scientific meeting on the biology of tunas and related species. FAO Fish. Rep., 6.

- Wallace, J. M. 1972. Empirical orthogonal representation of time series in the frequency domain. Part II. Application to the study of tropical wave disturbances. *J. Appl. Meteor.* 11:893-900.
- Wallace, J. M., and R. E. Dickinson. 1972. Empirical orthogonal representation of time series in the frequency domain. Part I: Theoretical considerations. *J. Appl. Meteor.* 11:887-892.
- Wankowski, J. W. J. 1981. Estimated growth of surface schooling skipjack tuna, *Katsuwonus pelamis*, and yellowfin tuna, *Thunnus albacares*, from the Papua New Guinea region. *Fish. Bull. U.S.* 79:517-532.
- Watanabe, H. 1958. On the difference of the stomach contents of the yellowfin and bigeye tuna from the western equatorial Pacific. (in Japanese, English summary). *Rep. Nankai. Reg. Fish. Res. Lab.* 7:72-81.
- Watanabe, H. 1960. Regional differences in food composition of the tunas and marlins from several oceanic areas. (in Japanese, English summary). *Rep. Nankai Reg. Fish. Res. Lab.* 12:75-84.
- Welsh, J. 1949. A preliminary study of food and feeding habits of Hawaiian kawakawa, mahimahi, ono, aku, and ahi. *Terr. Hawaii Div. Fish and Game, Fish. Prog. Rep.* 1(2), 26p.
- Wild, A., and T. J. Foreman. 1980. The relationship between otolith increments and time for yellowfin and skipjack tuna marked with tetracycline. (in English and Spanish). *Inter-Am Tropical Tuna Comm. Bull.* 17:509-560.
- Williams, F. 1967. Longline fishing for tunas off the coast of east Africa 1958-1960. *Indian J. Fish., Sect. A* 10:233-390.
- Wilson, P. C. 1965. Review of the development of the Atlantic coast tuna fishery. *Mar. Fish. Rev.* 27(3):1-10.
- Wise, J. P. 1983. A preliminary critical evaluation of the ICCAT data base. *ICCAT Collect. Vol. Sci. Pap.* XVIII:711-718.
- Wooster, S. W., A. Bakun and D. R. McLain. 1976. The seasonal upwelling cycle along the eastern boundary of the north Atlantic. *J. Mar. Res.* 34:131-141.
- Yabe, H. 1954. A study on spawning of skipjack in the Satsunan Sea area, pp. 182-199. *In: General view of fishery science. Jpn. Assoc. Adv. Sci.* (translated from Japanese. Southwest Fisheries Center, Honolulu, HI).
- Yabe, H., S. Ueyanagi, S. Kikawa and H. Watanabe. 1958. Young tunas found in the stomach contents. *Rep. Nankai Reg. Fish. Res. Lab.* 8:31-48. (translated from Japanese. Southwest Fisheries Center, Honolulu, HI).
- Yabuta, Y. 1953. On the stomach contents of tuna and marlin from the adjacent seas of the Bonin islands. (in Japanese, English summary). *Contr. Nankai Reg. Fish. Res. Lab.* 1(15), 6 pp.
- Yamaguchi, Y. 1969. Studies on the feeding habits of tunas. *J. Fac. Fish., Mie Pref. Univ.* 8:1-15.
- Yamaguchi, M., and S. Kikawa. 1982. Progress report on Japanese research activity on Atlantic skipjack in the International Skipjack Year, 1981. *ICCAT Collect. Vol. Sci. Pap.* XVII:167-171.
- Yang, R. T., Y. Nose, and Y. Hiyama. 1969. Morphometric studies on the Atlantic albacore and yellowfin tuna. *Bull. Far Seas Fish. Res. Lab.* 2:23-64.
- Yoshida, H. O. 1966. Skipjack tuna spawning in the Marquesas Islands and Tuamotu Archipelago. *Fish. Bull. U.S.* 65:479-488.
- Yoshida, H. O. 1971. Early life history of skipjack tuna *Katsuwonus pelamis* in the Pacific Ocean. *Fish. Bull. U.S.* 69:545-554.
- Yoshida, H. O. 1979. Compilation of published estimates of tuna life history and population dynamics parameters. Southwest Fisheries Center Admin. Rep. H-79-8, 15 pp., 12 Tables.

- Yuen, H. S. H., and F. C. June. 1957. Yellowfin tuna spawning in the central equatorial Pacific. Fish. Bull. U.S. 57:251-264.
- Yukuniwa, M., and Y. Yabuta. 1963. Age and growth of bigeye tuna, *Parathunnus mebachi* (Kishinouye). (in Japanese, English summary). Rep. Nankai Reg. Fish. Res. Lab. 19:103-118.
- Zavala-Camin, L. 1978. Anotaciones sobre la presencia del listado en el sudeste y sur del Brasil. ICCAT Col. Doc. Cient. VII:82-85.
- Zavala-Camin, L. A. 1981. Hábitos alimentares e distribuição dos atuns e afins (*Osteichthyes-Teleostei*) e suas relações ecológicas com outras espécies pelágicas das regiões sudeste e sul do Brasil. Ph.D. Thesis. Univ. São Paulo, Brasil. 237 pp.