

2024 WORKPLAN FOR THE DEVELOPMENT OF THE WESTERN ATLANTIC SKIPJACK TUNA MSE

Rodrigo Sant'Ana¹ and Bruno Leite Mourato²

SUMMARY

This document summarizes the current decisions taken by Panel 1 regarding the western Atlantic skipjack tuna management strategy evaluation (W-SKJ MSE) and presents the 2024 workplan and proposed methodology to address the remaining steps for the development of SKJ-W MSE.

RÉSUMÉ

Ce document résume les décisions actuelles prises par la Sous-commission 1 concernant l'évaluation de la stratégie de gestion pour le listao de l'Atlantique Ouest (SKJ-W MSE) et présente le plan de travail de 2024 et la méthodologie proposée pour aborder les étapes restantes pour le développement de la MSE pour le W-SKJ.

RESUMEN

Este documento resume las decisiones actuales adoptadas por la Subcomisión 1 en relación con la evaluación de estrategias de ordenación del listado del Atlántico occidental (SKJ-W MSE) y presenta el plan de trabajo para 2024 y la metodología propuesta para abordar los pasos restantes para el desarrollo de la MSE para el listado occidental.

KEYWORDS

Management procedures, stock assessment, performance metrics, closed-loop simulation, harvest strategy

¹ Universidade do Vale do Itajaí, Escola Politécnica, Laboratório de Estudos Marinhos Aplicados. Rua Uruguai, 458, Itajaí, SC, Brazil

² Universidade Federal de São Paulo, Instituto do Mar, Laboratório de Ciências da Pesca. Rua Carvalho de Mendonça, 144, Santos, SP, Brazil.

1. Introduction

Since 2020, the Western Atlantic skipjack (W-SKJ) management strategy evaluation (MSE) framework has been developed by the Standing Committee on Research and Statistics Tropical Tunas Species Group (SCRS/TT-SG). In 2015, the Commission asked to adopt an MSE-based management procedure (MP) for W-SKJ and seven other priority stocks (ICCAT Rec. 15-07). This need for an MSE has been reinforced in every ICCAT tropical tunas measure since 2016 when ICCAT Rec. 16-01 (2016) established initial performance indicators for tropical tunas. While the Eastern Atlantic skipjack stock is included in the multispecies MSE with bigeye and yellowfin tunas, western Atlantic skipjack has been slated for its own MSE since the Commission's first MSE roadmap was adopted in 2016.

External experts initiated the MSE work in 2020 (Huynh et al., 2020), and the SCRS has overseen its development since then (Mourato et al., 2022a, Mourato et al., 2022b, Sant'Ana et al., 2023). The Commission adopted conceptual management objectives for W-SKJ in 2022 (ICCAT Res. 22-02, 2022) and started to operationalize those objectives at the May 2023 Panel 1 intersessional meeting (See Appendix 1 of Appendix A). The MSE process is moving for ICCAT to adopt an MP in 2024, following the Commission's MSE work plan. Based on this, the SCRS developed documentation and presentations to provide sufficient details to promote discussion among scientists, fisheries managers, and other stakeholders directly or indirectly involved in developing W-SKJ MSE (e.g., Appendix A).

During Panel 1's First Intersessional Meeting on Western Skipjack MSE in February 2024, these communication materials were given to the ICCAT Commissioners. As many of the technical components of the MSE are now in advanced development or even completed, attached are the 2024 workplan and proposed methodology to address the remaining steps for the development of W-SKJ MSE.

2. Panel 1 decision points for the development of W-SKJ MSE

Below we present the feedback on each decision point posed to Panel 1 in February 2024 during the 1st Intersessional Meeting of Panel 1 on Western Skipjack MSE.

2.1 Decision Point 1: Operational management objectives

- **Safety** - Maximum acceptable probability of the stock falling below B_{LIM} ($0.4*SSB_{MSY}$) at any point during the 30-year projection period. The probability is currently set at 10%, but during the Panel 1 March 2023 meeting, the Commissioners had indicated that it could be considered to reduce that value to 5%;

February 2024 Panel 1 decision - The probability of falling below B_{LIM} was defined at 10%.

- **Stability** – Maximum acceptable percent change in TAC between management periods, as well as whether or not this maximum acceptable change should be the same for increases as for decreases in TAC, and (for model-based CMPs) whether such a restriction should be imposed regardless of whether or not stock biomass is estimated to be below or above B_{MSY} . At the May 2023 intersessional meeting, Panel 1 expressed interest in testing the CMPs with and without a 20% restriction on TAC changes from one management cycle to the next. They also expressed openness to asymmetric TAC change restrictions where there would be no limit on TAC decreases if the estimated $B_{current}/B_{MSY}$ is below 1.

February 2024 Panel 1 decision - CMPs should impose a 20% limit on the TAC change between management periods. However, for model-based CMPs, the SCRS should also examine additional versions of those CMPs where there is no limit on reductions in TAC if the stock is estimated to be below B_{MSY} .

2.2 Decision Point 2: Candidate management procedures

- There are currently 8 CMPs developed and implemented for W-SKJ MSE. The SCRS welcomes Panel 1's guidance on its judgment of the need (a) to develop, implement, and evaluate new CMPs or (b) to reduce the current list according to Panel 1's preference based on the respective performances of each CMP.

February 2024 Panel 1 decision - CMPs based on Constant Catches should no longer be included. Additionally, although Brazil has expressed its preference for model-based CMPs, the group decided to keep open the opportunity for SCRS to explore different CMPs during the development of the W-SKJ MSE throughout 2024. Thus, no other consideration about reduction or even directionality to a specific type of CMPs was provided.

3. Action plan for the development of W-SKJ MSE

- **March – May:** Initiate a series of online meetings, as needed, of the Tropical Tunas MSE Sub-Group to guide the work intersessionally, with review during meetings of the Tropical Tuna Species Group.
- **8-12 April:** Share Panel 1's recommendations with the SCRS during the Yellowfin Data Preparatory Meeting, including an action plan and methodological proposal for addressing the feedback. Confirm chairing of and meeting schedule for the Tropical Tunas MSE Sub-Group.
- **April – July:** Update the W-SKJ MSE following the action plan and methodology defined and discussed during the Yellowfin Data Preparatory Meeting.
- **22-24 May:** Hold ambassador session on sidelines of Panel 1 meeting and present progress update to Panel 1.
- **8-12 July:** Present the W-SKJ MSE evolution to the SCRS during the Yellowfin tuna Stock Assessment Meeting, including the progress and evolution achieved up to the moment of this meeting, following a previously approved action plan.
- **July – August:** Implement new robustness OMs to incorporate possible effects of Climate Change within the scope of the W-SKJ MSE.
- **August – September:** Using the abundance indices updated through 2022 by each of the CPCs and presented during the Yellowfin tuna Stock Assessment meeting, provide updated performance projections of the CMPs, including the TAC for the initial management period.
- **16-27 September:** Present the draft final W-SKJ MSE results to the SCRS group during the SCRS Tropical Tunas Species Group Meeting for adoption by the Species Group as well as the SCRS at Plenary.
- **September – November:** Additional analytical work to be carried out after the SCRS Plenary meeting will follow a plan approved by the SCRS during the Plenary. Prepare communication materials to be used at the 24th Special Meeting of the ICCAT Commission.
- **TBD October:** Convene an online ambassador session to present the final W-SKJ MSE results to Panel 1 members and other interested parties.
- **11-18 November:** Present the W-SKJ MSE final results to the ICCAT Commission, Panel 1, for consideration for MP adoption, during the 24th Special Meeting of the ICCAT Commission.

4. Key Methodological Points for Discussion

The current stage of development of the W-SKJ MSE requires a series of actions based, mainly, on the observation of the scientific group and its advice on the methodological proposals that will be used within the scope of this MSE. Among the main points of attention that require discussion and guidance from SCRS are:

- 1) Evaluation of the methodological proposal for incorporating robust scenarios based on possible effects of Climate Change;
- 2) Evaluation of proposed measures to improve tuning parameters to be incorporated into CMPs as a way of maximizing their respective yields;
- 3) Assessment of the methodological proposal to be used to incorporate the different abundance indices estimated for the stock as a proxy for the biomass trajectory to be used by the CMPs for generating the TAC in the closed-loop simulations, and for calculating the actual TAC for the first management cycle.

Therefore, to better progress these tasks, the proposal is to define a schedule of intersessional remote meetings between the W-SKJ MSE development team, and the Tropical Tuna Sub-group dedicated to discussing MSE activities. Therefore, below is a first proposed agenda for the evolution of these discussions.

[May 13-17] Discussion on the methodological proposal for incorporating updated abundance indices into the MSE structure.

[June 10-14] If necessary, second round for discussions on the previous topic.

[June 24-28] Discussion on the methodological proposal for incorporating robust tests aimed at Climate Change.

[June 24-28] If necessary, second round of discussions on the incorporation of Climate Change scenarios.

[August 26-30] Discussion on the methodological proposal for tuning CMP parameters.

[August 26-30] If necessary, second round for discussions on tuning CMP parameters.

The proposal for these intersessional meetings is that they are short, between 2 and 3 hours, focused on a single topic, focused on the presentation of the methodological proposal, behavior of the models, and group evaluation.

5. Acknowledgements

This work was carried out under the provision of the ICCAT. This work was conducted within the ICCAT Capacity Building initiatives and partially funded by the European Union through the EU Grant Agreement No. EMFAF-2021-VC-ICCAT5-IBA-02 -Strengthening the scientific basis on tuna and tuna-like species for decision-making in ICCAT. The authors would like to thank Dr. Quang Huynh, Dr. Adrian Hordyk, and Dr. Tom Carruthers for their support in the development of management strategy evaluation of the western Atlantic skipjack tuna. We also thank Shana Miller (The Ocean Foundation) and Dr. Grantly (The Pew Charitable Trusts) for providing valuable comments and supporting the development of management strategy evaluation of the western Atlantic skipjack tuna. Finally, a special thanks goes to the ICCAT Secretariat for preparing the input data used in this analysis and the TT- MSE Technical Group.

References

Cardoso L.G., Kikuchi, E., Sant'Ana, R., Lauretta, M., Kimoto, Ai., Mourato B.L. 2022. Preliminary western Atlantic skipjack tuna stock assessment 1952-2020 using stock synthesis. SCRS/2022/098

Huynh QC., Carruthers T., Mourato B., Sant'Ana R., Cardoso LG., Travassos P. and Hazin F. 2020. A demonstration of a MSE framework for western skipjack tuna, including operating model conditioning. Collect. Vol. Sci. Pap. ICCAT, 77(8): 121-144.

Mourato B.L., Cardoso L.G., Arocha F., Narvaez M., Sant'Ana, R. 2022a. Western Atlantic skipjack tuna MSE: updates to the operating models and initial evaluation of the relative performance of preliminary management procedures. SCRS/2022/097.

Mourato B.L., Cardoso L.G., Arocha F., Narvaez M., Sant'Ana, R. 2022b. Management Strategy Evaluation for Western Atlantic skipjack tuna with operating model conditioning based on the stock synthesis model. Collect. Vol. Sci. Pap. ICCAT, 79(1): 851-906

Sant'Ana, R.; Mourato, B.L.; Kikuchi, E.; Cardoso, L.G. 2023. Developing candidate management procedures for the Western Atlantic Skipjack tuna. Collect. Vol. Sci. Pap. ICCAT, 80(2): 260-314 (SCRS/2023/169).

Appendix A

Western Atlantic Skipjack MSE: background, structure, results & further development

PA1_FEB_02/i2024

12/02/2024 15:48

Original: English

Western Atlantic Skipjack Management Strategy Evaluation (MSE): Background, Structure, Results and further Development

(Prepared by the Contractor in coordination with the SCRS Chair and the Western Skipjack Rapporteur)

This document describes core concepts of the Western Atlantic Skipjack Tuna MSE. The intention is to provide sufficient knowledge to facilitate discussion among scientists, fishery managers and other stakeholders, commencing with the First Intersessional Meeting of Panel 1 Western Skipjack MSE (20-21 February 2024) and continuing in the lead up to scheduled adoption of a management procedure (MP) in November 2024. This document summarizes the MSE structure, process, preliminary results, and feedback requested to the First Intersessional Panel 1 meeting held in February.

1. Background

The SCRS's Tropical Tunas Species Group has been developing an MSE framework for West Atlantic skipjack (SKJ-W) since 2020. In 2015, the Commission called for adoption of an MP for SKJ-W and seven other priority stocks based on an MSE [Rec.15-07]. This call for an MSE has been echoed in every ICCAT tropical tunas measure since 2016, with [Rec.16-01] setting initial performance indicators for tropical tunas. While the East Atlantic skipjack stock is included in the multistock MSE with bigeye and yellowfin tunas, western Atlantic skipjack has been earmarked for its own MSE since the Commission adopted the [First Draft Roadmap for the Development of MSE and Harvest Control Rules (HCR)] in 2016; this is because western skipjack tuna are caught predominantly in a single-stock fishery.

External experts launched the MSE work in 2020 [SCRS/140/2020] and since then, MSE development has been conducted by the SCRS [SCRS/2022/097] [SCRS/2022/180] [SCRS/2023/169]. The Commission adopted conceptual management objectives for SKJ-W in 2022 [Res. 22-02], and started to operationalize those objectives at the [Second Intersessional Meeting of Panel 1 on Western Skipjack MSE] held on 5 May 2023. The MSE work is on track for ICCAT to adopt an MP in 2024, in accordance with the Commission's workplan [Revised Roadmap for the ICCAT MSE processes adopted by the Commission in 2023]

Based on that, the general objective of this document is to provide sufficient knowledge to facilitate discussion among scientists, fishery managers and other stakeholders involved, directly or indirectly, on the development of SKJ-W MSE. As many of the technical elements of the MSE are now in advanced development or even complete, the SCRS is seeking guidance and feedback from Panel 1 on some key elements as outlined in Section 5. *Feedback Requested* of this document. To facilitate the discussion, the next sections of this document will address and present a summary of the results achieved so far in the SKJ-W MSE.

2. MSE Overview

The SKJ-W MSE is built using an open-source MSE software package called [openMSE]. The package can input information from assessment models built with the Stock Synthesis framework [Report of the 2022 Skipjack Stock Assessment Meeting] in this case) to efficiently create – and then customize – an MSE framework for testing candidate management procedures (CMPs), including the approximately 100 CMPs that come preloaded in openMSE.

2.1 Indices of Abundance

The western skipjack stock occurs from the U.S. coast to the southern Brazilian coast. Data from five different indices (baitboat – Brazil recent and earlier period, Brazil handline, Venezuela purse seine, and U.S. longline) are used to condition the MSE. On average, Brazil takes approximately 90% of the total skipjack catch in the West Atlantic, with the bulk of remaining catches (7% on average) taken by Venezuela. The MSE's historical period is from 1952 through to 2020, including observed catches for 2021 and 2022, and projections cover the subsequent 30 years.

2.2 Operating Models

Each operating model (OM) in the MSE represents a plausible scenario/a potential truth for the dynamics of the stock and fishery. The SKJ-W MSE includes nine main OM (i.e., the “reference set or grid of OM”) based on two major sources of uncertainty:

1. Recruitment/steepleness: a measure of the adult biomass relative to the number of young they produce; reflects stock productivity (three options);
2. Growth vector: reflects the alternative biological parameters of the population, including different combinations of growth rate, maximum size, and natural mortality (three options).

The nine OM allow for all combinations of these options (3x3=9). These 9 OM were derived from the last stock assessment of the SKJ-W conducted in 2022 ([Report of the 2022 Skipjack Stock Assessment Meeting](#)). Thus, reflecting the same decision made during the last Stock Assessment, the nine OM scenarios are considered to be equally plausible, so they are equally weighted in this MSE. These nine OM together make up the reference set of OM.

There will also be two sets of “robustness” OM to evaluate less likely but still possible scenarios, similar to more extreme “sensitivity runs” in a Stock Assessment. These include 1) TAC overages (i.e., 10%, 20%) due to implementation error and 2) a to-be-developed scenario to reflect potential Climate Change impacts. Since only the implementation error scenarios have been run to date, there are currently 18 robustness OM (9x2=18).

2.3 Management Objectives

The SKJ-W MSE currently includes twenty (20) key performance indicators as an initial benchmark for evaluation of the Commission’s four agreed management objectives (see [Appendix 1](#)). The limit reference point (B_{LIM}) is set at 40%*SSB_{MSY} for western skipjack, as has been done for other stocks, including North Atlantic swordfish, North Atlantic albacore and Atlantic bluefin tuna. The target reference point is set at SSB_{MSY}.

2.4 Candidate Management Procedures (CMPs)

There are currently eight CMPs for western skipjack in two main categories – empirical index-based or assessment model-based. Per Panel 1’s guidance, all use a 3-year management cycle and calculate a single Total Allowable Catch (TAC) for the West Atlantic. The CMPs use a 2-year data lag, e.g. in 2024, the TAC for 2025 will be set with data available up to 2022.

- The three index-based, empirical CMPs vary the catch limits based on changes in catch per unit effort (CPUE):
 - *GB_slope*: Geromont and Butterworth index slope. A rule that modifies a time-series of catch recommendations (TAC) to achieve stable catch rates;
 - *Islope1*: Index slope tracking. A rule that incrementally adjusts the time-series of catch recommendations (TAC) to maintain a constant abundance index, and;
 - *Iratio*: Mean index ratio. A rule that adjusts the TAC based on a ratio between the most recent years of the relative abundance index and the respective prior years.
- There are five model-based CMPs which incorporate “hockey stick” HCRs. Under these HCRs, fishing is at 100% or 80% of F_{MSY} when at or above the target reference point and decreases to 10% F_{MSY} once the limit reference point is breached. See [Appendix 2](#), [Figures 5 and 6](#), for graphic representations of the HCRs, which illustrate how F decreases between the target and limit reference points.

CMP	Model type	F_{target}
SCA01	Statistical catch-at-age	F_{MSY} , if $\geq B_{MSY}$
SP01	Surplus production	F_{MSY} , if $\geq B_{MSY}$
SPSS01	State-space surplus production	F_{MSY} , if $\geq B_{MSY}$
SP02	Surplus production	80% F_{MSY} , if $\geq B_{MSY}$
SPSS02	State-space surplus production	80% F_{MSY} , if $\geq B_{MSY}$

- For comparison purposes only, constant catch scenarios of 20,000, 30,000 and 40,000 t are also tested. For reference, the 2022 catch was 21,383 t.

See **Appendix 2** for a detailed description of the current CMPs evaluated in the SKJ-W MSE.

3. Results

Draft final performance results are shown for the eight CMPs and constant catch comparisons. All results presented here assume perfect TAC implementation. None of the model-based CMP results shown here use a restriction on TAC change from one management cycle to the next. The full suite of results, including implementation error robustness tests, is available in the online interactive application (see Other Resources below).

Most CMPs result in a high probability of being in the Kobe green quadrant into the future, with the exception of the constant catch CMPs with TACs greater than or equal to 30 kt. Similarly, all but the constant catch CMPs greater than or equal to 30 kt display a very constant trend, with the stock continuing to be neither overfished, nor subject to overfishing.

Regarding Status performance indicators, with the exception of CMPs based on constant catches, all others presented probabilities greater than 70% of the stock remaining in the green quadrant of Kobe plot ("PGK") throughout the time period. Regarding Safety performance indicators, in general, the CMPs based on models and/or empirical indices showed satisfactory performance, with probabilities of the stock breaching B_{lim} of less than 10%. In the case of Stability performance indicators, the CMP based on the Statistical Catch-at-Age model showed the greatest variations in TAC.

4. Workplan for 2024

The proposed workplan is described in a hierarchical manner below, for the evolution and completion of the SKJ-W MSE during 2024.

- 1) Present and receive Commission feedback on the current SKJ-W MSE progress at the First Intersessional Meeting of Panel 1 Western Skipjack MSE (20-21 February 2024);
- 2) Initiate a series of online meetings, as needed, of the Tropical Tunas Technical Sub-group on MSE to guide the work intersessionally, with review during meetings of the Tropical Tuna Species Group (during March 2024);
- 3) Share Panel 1's recommendations with the SCRS during the Yellowfin Data Preparatory Meeting (8-12 April 2024), including an action plan and methodological proposal for addressing the feedback;
- 4) Update the SKJ-W MSE following the action plan and methodology defined and discussed during the Yellowfin Data Preparatory Meeting (between April and July 2024);
- 5) Present the SKJ-W MSE evolution to the SCRS during the Yellowfin tuna Stock Assessment Meeting (8-12 July 2024), including the progress and evolution achieved up to the moment of this meeting, following a previously approved action plan;
- 6) Implement new robustness OMs to incorporate possible effects of Climate Change within the scope of the SKJ-W MSE (between July and August 2024);
- 7) Using the abundance indices updated through 2022 by each of the CPCs and presented during the Yellowfin tuna Stock Assessment meeting, provide updated performance projections of the CMPs, including the TAC for the initial management period (between August and September 2024);

- 8) Present the draft final SKJ-W MSE results to the SCRS group during the SCRS Tropical Tunas Species Group Meeting (16-21 September 2024) for adoption by the Species Group as well as the SCRS at Plenary;
- 9) Additional analytical work to be carried out after the SCRS Plenary meeting will follow a plan approved by the SCRS during the Plenary. Prepare communication materials to be used at the 24th Special Meeting of the ICCAT Commission (between September and November 2024);
- 10) Present the SKJ-W MSE final results to the ICCAT Commission, Panel 1, for consideration for MP adoption, during the 24th Special Meeting of the ICCAT Commission (11-18 November 2024).

5. Feedback Requested

At the First Intersessional Panel 1 Meeting held in February 2024, feedback is requested from managers on:

Decision Point 1: Operational Management Objectives

The SCRS welcomes feedback from Panel 1 to finalize operational management objectives for western skipjack tuna:

- Safety - Maximum acceptable probability of the stock falling below B_{LIM} ($0.4*SSB_{MSY}$) at any point during the 30-year projection period. The probability is currently set at 10%, but during the [First Intersessional Meeting of Panel 1 \(27-31 March 2023\)](#) the Commissioners had indicated that it could be considered to reduce that value to 5%;
- Stability – Maximum acceptable percent change in TAC between management periods, as well as whether or not this maximum acceptable change should be the same for increases as for decreases in TAC, and (for model-based CMPs) whether such a restriction should be imposed regardless of whether or not stock biomass is below or above B_{MSY} . At the [Second Intersessional Meeting of Panel 1 on Western Skipjack MSE](#) Panel 1 expressed its interest in testing the CMPs with and without a 20% restriction on TAC changes from one management cycle to the next. They also expressed openness to asymmetric TAC change restrictions where there would be no limit on TAC decreases if $B_{current} < B_{MSY}$.

Decision Point 2: Candidate Management Procedures

There are currently eight CMPs developed and implemented for SKJ-W MSE. The SCRS welcomes Panel 1's guidance on its judgment of the need (a) to develop, implement, and evaluate new CMPs or (b) to reduce the current list according to Panel 1's preference based on the respective performances of each CMP.

Decision Point 3: Management Procedure Implementation Schedule

A key element of the process of MP implementation is the process of its review. Such a review can occur at regular, pre-scheduled intervals or following the declaration of exceptional circumstances. In most cases, such a review would not constitute a wholesale revision to the OM structure, full reconditioning of the OMs or substantial changes to the CMPs, though it offers that opportunity should the need arise. In most cases, such reviews could implement index revisions or relatively minor improvements to the OMs or MPs; indeed, the outcome may leave the MP unchanged. The proposed MP implementation schedule is included in [Appendix 3](#) for Panel 1's review and approval. It includes data requirements for each step, as well as a schedule for review of the MSE model assumptions.

Other Resources

[West Atlantic Skipjack MSE interactive Shiny App](#) (includes preliminary results)

[Harveststrategies.org MSE outreach materials](#) (multiple languages)




Figure 1. Probability of being in each of the Kobe plot quadrant in the last year (i.e., year 30) across the reference set of OMs with perfect TAC implementation (OMs 1-9). Each dot represents a result of one simulation average of the nine OMs.




Figure 2. Probability of being in each of the Kobe plot quadrant through years across the reference set of OMs with perfect TAC implementation (OMs 1-9).




Figure 3. Plots showing the key tradeoffs between Status, Safety and Yield for all CMPs tested in the SKJ-W MSE. The dotted lines indicate the management objectives set by Panel 1.




Figure 4. Trajectory of a) biomass (B) relative to B at MSY – top row, and b) yield – bottom row for 8 CMPs (empirical CMPs in blue and model-based CMPs in red).

Appendix 1

Management Objectives
(from [Res. 22-02](#) and the Panel 1 meeting in May 2023) and the current suite of
Corresponding Performance Indicators

<i>Management Objectives (Res 22-02)</i>	<i>Proposed corresponding performance indicators</i>
Status The stock should have a 70% or greater probability of occurring in the green quadrant of the Kobe matrix using a 30-year projection period as determined by the SCRS.	PGK_{short} : Probability of being in the Kobe green quadrant (i.e., $SSB \geq SSB_{MSY}$ and $F < F_{MSY}$) in years 1-3 PGK_{medium} : Probability of being in the Kobe green quadrant (i.e., $SSB \geq SSB_{MSY}$ and $F < F_{MSY}$) in years 4-10 PGK_{long} : Probability of being in the Kobe green quadrant (i.e., $SSB \geq SSB_{MSY}$ and $F < F_{MSY}$) over years 11-30 PGK_{all} : Probability of being in the Kobe green quadrant (i.e., $SSB \geq SSB_{MSY}$ and $F < F_{MSY}$) over years 1-30 POF : Probability of $F > F_{MSY}$ over years 1-30 PNOF : Probability of $F < F_{MSY}$ over years 1-30
Safety There should be no greater than [10%] ¹ probability of the stock falling below B_{LIM} ($0.4 * SSB_{MSY}$) at any point during the 30-year projection period.	LRP_{short} : Probability of breaching the limit reference point (i.e., $SSB < 0.4 * SSB_{MSY}$) over years 1-3 LRP_{medium} : Probability of breaching the limit reference point (i.e., $SSB < 0.4 * SSB_{MSY}$) over years 4-10 LRP_{long} : Probability of breaching the limit reference point (i.e., $SSB < 0.4 * SSB_{MSY}$) over years 11-30 LRP_{all} : Probability of breaching the limit reference point (i.e., $SSB < 0.4 * SSB_{MSY}$) over years 1-30 nLRP_{short} : Probability of not breaching the limit reference point (i.e., $SSB < 0.4 * SSB_{MSY}$) over years 1-3 nLRP_{medium} : Probability of not breaching the limit reference point (i.e., $SSB < 0.4 * SSB_{MSY}$) over years 4-10 nLRP_{long} : Probability of not breaching the limit reference point (i.e., $SSB < 0.4 * SSB_{MSY}$) over years 11-30 nLRP_{all} : Probability of not breaching the limit reference point (i.e., $SSB < 0.4 * SSB_{MSY}$) over years 1-30
Yield Maximize overall catch levels in the short (1-3 years), medium (4-10 years) and long (11-30 years) terms.	AvC_{short} – Median catches (t) over years 1-3 AvC_{medium} – Median catches (t) over years 4-10 AvC_{long} – Median catches (t) over years 11-30
Stability Any changes in TAC between management periods should be 20% or less ² .	VarC_{medium} – Variation in TAC (%) between management cycles over years 4-10 VarC_{long} – Variation in TAC (%) between management cycles over years 11-30 Var_{all} – Variation in TAC (%) between management cycles over years 1-30

¹ The probability of breaching B_{LIM} could be reduced to 5% at a later date was indicated at the Panel 1 May 2023 meeting.

² CMPs should also be tested with no restriction on TAC changes from one management cycle to the next as stated at the Panel 1 May 2023 meeting. Openness to asymmetric TAC change restrictions was also expressed where there would be no limit on TAC decreases if $B_{current} < B_{MSY}$

Details of Selected CMPs for SKJ-W MSE

1. Empirical index-based CMPs

For SKJ-W MSE, as described before, three empirical index-based CMPs were evaluated: *Iratio*, *Islope1*, and *GB_slope*. These three CMPs structures the adjustment of the TAC for a given year ($y+1$), based on the trends observed in the abundance indices estimated for the fish stock in a previous pre-defined period. In general, when positive trends are observed, that is, increasing abundance index, positive adjustments to the TAC are proposed; In the case of negative, decreasing trends in the abundance index, the proposed adjustment in the TAC follows the same fate.

The *Iratio* CMP, already incorporating the time lag in data available (e.g. two-years data lag, as described before, e.g. in 2024, the TAC for 2025 will be set with the data available up to 2022) sets the TAC as:

$$TAC_{y+1} = \frac{\alpha}{\beta} C_{y-2}$$

where α is the mean of the abundance index in the most recent two years of the time-series, e.g. 2021-2022; β is the mean of the abundance index in the three years preceding those years for α , e.g. 2018-2020; C is the observed catch, and y is the indexed year.

The *Islope1* and *GB_slope* CMPs also already incorporate the time lag in data available, calculating the TAC as:

$$TAC_{y+1} = (1 + \theta\lambda)C_{y-2}$$

where, θ is the slope of log(abundance index) in the most recent 3 years of the time-series; λ is a tuning parameter ($\lambda=0.2$ for *Islope1*, and $\lambda=1$ for *GB_slope*); C is also the observed catch, and y is the indexed year. Additionally, *GB_slope* includes a constraint rule where TAC cannot exceed the limits of 80-120% of the most recent catch, which tests the 20% stability objective.

2. Model-based CMPs with "hockey-stick" harvesting control rule

Three model frameworks were tested as model-based CMPs for the SKJ-W MSE: a Statistical Catch-at-Age, a Surplus Production, and a State-Space Surplus Production model. For the Statistical Catch-at-Age, an HCR based on fishing at 100% of F_{MSY} when at or above the target reference point and decreasing to 10% F_{MSY} once the limit reference point is breached, was tested (Figure 5; HCR_A). For the Surplus Production models, with or without State-Space structure, two HCRs were implemented and tested: (a) based on the same rule used for the Statistical Catch-at-Age model (Figure 5), and; (b) a second one based on fishing at 80% F_{MSY} when at or above the target reference point and also decreasing to 10% F_{MSY} once the limit reference point is breached (Figure 6; HCR_B).

In both cases, a combined index is used to track the relative changes in the SKJ-W population. To provide the combined index, a Tukey's running median smoother was used, the same methodology used in the SWO-N MSE (SCRS/2023/144).

For the HCR_A (e.g. SCA01; SP01; SPSS01), also incorporating the time lag in data available, the following HCR is used to set the target fishing mortality (F_{mort}):

$$F_{mort} = \begin{cases} F_{tar}, & \text{if } B_{y-2} \geq B_{thresh} \\ F_{tar} \left(-0.5 + 1.5 \frac{B_{y-2}}{B_{thresh}} \right), & \text{if } B_{thresh} > B_{y-2} > B_{lim} \\ F_{min}, & \text{otherwise} \end{cases}$$

where, F_{mort} is the proposed harvest rate; F_{tar} is defined to be equal to F_{MSY} ; B_{y-2} is the estimated current biomass already incorporating the time lag in data available; B_{thresh} is the estimated biomass that corresponds to the maximum sustainable yield; B_{lim} is the limit biomass defined by Panel 1 ($0.4 \cdot B_{thresh}$), and; F_{min} is the minimal fishing effort estimated by $0.1 \cdot F_{msy}$.

For the HCR_B (SP02, SPSS02), also incorporating the time lag in data available, the following HCR is used to set the target fishing mortality (F_{mort}):

$$F_{mort} = \begin{cases} F_{tar}, & \text{if } B_{y-2} \geq B_{thresh} \\ F_{tar} \left(-0.367 + 1.167 \frac{B_{y-2}}{B_{thresh}} \right), & \text{if } B_{thresh} > B_{y-2} > B_{lim} \\ F_{min}, & \text{otherwise} \end{cases}$$

where, F_{mort} is the proposed harvest rate; F_{tar} is defined to be equal to $0.8*F_{MSY}$; B_{y-2} is the estimated current biomass already incorporating the time lag in data available; B_{thresh} is the estimated biomass that corresponds to the maximum sustainable yield; B_{lim} is the limit biomass defined by Panel 1 ($0.4*B_{thresh}$), and; F_{min} is the minimal fishing effort estimated by $0.1*F_{msy}$.

Finally, the TAC for the following year is calculated as:

$$TAC_{y+1} = F_{mort} * B_{y-2}$$

In this way, the TAC for the first year (2025) of the first management cycle (2025-2027) will be estimated based on the biomass estimated from the application of the CMP to data updated until 2022.




Figure 5. Generic form of the HCR, HCR_A, defined to be tested in the SKJ-W MSE.




Figure 6. Generic form of the HCR, HCR_B, defined to be tested in the SKJ-W MSE.

Draft Schedule for MP Implementation, assuming a Three-Year Management Cycle

	2024	2025	2026	2027	2028	2029	2030
SCRS check for exceptional circumstances		X	X	X	X	X	X
SCRS runs MP	X			X			X
Commission adopts TAC based on MP	X			X			X
TAC in effect		X	X	X	X	X	X
SCRS MP review							X
Status Check/Assessment							X
Commission assesses SCRS review and next steps							X

Key Terminology used in this document

Limit Reference Point (LRP): A benchmark for an indicator that defines an undesirable biological state of the stock such as the B_{lim} or the biomass limit which is undesirable to be below. To keep the stock safe, the probability of violating a LRP should be very low.

Management Objectives: Formally adopted social, economic, biological, ecosystem, and political (or other) goals for a stock and fishery. They include high-level or conceptual objectives often expressed in legislation, conventions or similar documents. They must also include operational objectives that are specific and measurable, with associated timelines. When management objectives are referenced in the context of MPs, the latter, more specific definition applies, but sometimes conceptual objectives are adopted first (e.g., [Res 22-02](#) for SKJ-W).

Management Procedure (MP): Some combination of monitoring, assessment, HCR and management action designed to meet the stated objectives of a fishery, and which has been simulation tested for performance and adequate robustness to uncertainties. Also known as a harvest strategy.

Management Strategy Evaluation (MSE): A simulation-based, analytical framework used to evaluate the performance of multiple MPs relative to the pre-specified management objectives.

Operating Model (OM): A model representing a plausible scenario for stock and fishery dynamics that is used to simulation test the management performance of CMPs. Multiple models will usually be considered to reflect the uncertainties about the dynamics of the resource and fishery, thereby testing the robustness of MPs.

Performance Indicator: A quantitative expression of a management objective used to evaluate how well an objective is being achieved by determining the proximity of the current value of the statistic to the objective. Also known as a performance metric or performance statistic.

Reference Grid: The OMs that represent the most important uncertainties in stock and fishing dynamics, which are used as the principal basis for evaluating CMP performance. The reference OMs are specified according to factors (e.g., natural mortality rate) that have multiple levels (possible scenarios for each factor, e.g., high / low natural mortality rate). Reference OMs are organized in a usually fully crossed orthogonal 'grid' of all factors and levels.

Robustness Set: Other potentially important uncertainties in stock and fishing dynamics may be included in a Robustness Set of OMs that provide additional tests of CMP performance robustness. They can be used to further discriminate between CMPs. Compared to the Reference Grid OMs, the Robustness Set models will be typically less plausible and/or influential on performance.